



BC Cancer Agency

CARE + RESEARCH

An agency of the Provincial Health Services Authority

Cancer Surveillance & Outcomes

Cancer Incidence Projections

**Vancouver Island Health Authority
2010 to 2025**



Estimated New Cancer Diagnoses for 2010 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 21 | 7 | 108 | 34 | 64 | 22 | 194 | 64 | 259 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 45 | 0 | 69 | 0 | 17 | 0 | 133 | 133 |
| Brain | 2 | 2 | 3 | 3 | 10 | 6 | 16 | 12 | 4 | 4 | 35 | 27 | 62 |
| Breast | 0 | 1 | 0 | 18 | 0 | 213 | 0 | 272 | 0 | 81 | 0 | 585 | 585 |
| Cervix | 0 | 0 | 0 | 8 | 0 | 14 | 0 | 8 | 0 | 3 | 0 | 33 | 33 |
| Colorectal | 0 | 0 | 3 | 2 | 49 | 44 | 190 | 125 | 75 | 82 | 317 | 254 | 570 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 25 | 7 | 8 | 5 | 42 | 15 | 57 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 2 | 2 | 0 | 1 | 10 | 8 | 18 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 10 | 40 | 22 | 12 | 10 | 72 | 42 | 113 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 13 | 2 | 3 | 1 | 20 | 4 | 24 |
| Leukemia | 3 | 2 | 2 | 1 | 12 | 7 | 31 | 19 | 15 | 13 | 63 | 43 | 106 |
| Liver | 0 | 0 | 0 | 0 | 11 | 3 | 18 | 6 | 4 | 2 | 34 | 12 | 45 |
| Lung | 0 | 0 | 1 | 1 | 41 | 44 | 186 | 179 | 78 | 73 | 306 | 297 | 603 |
| Melanoma | 0 | 1 | 8 | 13 | 38 | 37 | 65 | 43 | 22 | 15 | 133 | 108 | 241 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 21 | 15 | 9 | 9 | 37 | 28 | 65 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 3 | 29 | 21 | 66 | 47 | 23 | 24 | 124 | 96 | 220 |
| Oral | 0 | 0 | 2 | 1 | 27 | 10 | 37 | 17 | 7 | 7 | 73 | 35 | 108 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 17 | 0 | 24 | 0 | 12 | 0 | 56 | 56 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 6 | 28 | 22 | 13 | 17 | 51 | 46 | 97 |
| Prostate | 0 | 0 | 0 | 0 | 102 | 0 | 506 | 0 | 133 | 0 | 741 | 0 | 741 |
| Stomach | 0 | 0 | 0 | 0 | 8 | 5 | 24 | 9 | 11 | 8 | 44 | 22 | 66 |
| Testis | 1 | 0 | 14 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 24 | 0 | 24 |
| Thyroid | 0 | 0 | 2 | 8 | 5 | 18 | 5 | 10 | 1 | 2 | 14 | 39 | 53 |
| All Other Cancers | 3 | 2 | 6 | 5 | 37 | 33 | 105 | 92 | 60 | 75 | 211 | 207 | 418 |
| All Cancers | 13 | 10 | 53 | 74 | 445 | 550 | 1488 | 1037 | 544 | 482 | 2544 | 2154 | 4698 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2011 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 21 | 7 | 111 | 36 | 67 | 22 | 200 | 66 | 266 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 46 | 0 | 73 | 0 | 18 | 0 | 139 | 139 |
| Brain | 2 | 2 | 3 | 3 | 10 | 6 | 16 | 12 | 5 | 4 | 36 | 27 | 63 |
| Breast | 0 | 1 | 0 | 19 | 0 | 213 | 0 | 284 | 0 | 81 | 0 | 597 | 597 |
| Cervix | 0 | 0 | 0 | 8 | 0 | 14 | 0 | 9 | 0 | 3 | 0 | 33 | 33 |
| Colorectal | 0 | 0 | 3 | 2 | 48 | 44 | 195 | 128 | 76 | 80 | 322 | 255 | 576 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 26 | 7 | 8 | 5 | 43 | 15 | 58 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 2 | 0 | 1 | 10 | 8 | 19 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 10 | 42 | 23 | 13 | 10 | 74 | 43 | 117 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 13 | 2 | 3 | 1 | 20 | 4 | 24 |
| Leukemia | 3 | 2 | 2 | 1 | 11 | 7 | 31 | 20 | 15 | 13 | 63 | 43 | 107 |
| Liver | 0 | 0 | 0 | 0 | 12 | 3 | 19 | 7 | 4 | 2 | 35 | 12 | 47 |
| Lung | 0 | 0 | 1 | 1 | 40 | 43 | 189 | 186 | 79 | 74 | 309 | 304 | 613 |
| Melanoma | 0 | 1 | 8 | 14 | 38 | 37 | 68 | 46 | 24 | 15 | 139 | 113 | 251 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 5 | 22 | 15 | 9 | 9 | 38 | 29 | 67 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 3 | 29 | 21 | 68 | 49 | 24 | 24 | 127 | 98 | 225 |
| Oral | 0 | 0 | 2 | 1 | 28 | 10 | 38 | 18 | 7 | 7 | 75 | 36 | 111 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 17 | 0 | 25 | 0 | 11 | 0 | 56 | 56 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 6 | 29 | 22 | 13 | 17 | 51 | 45 | 96 |
| Prostate | 0 | 0 | 0 | 0 | 102 | 0 | 525 | 0 | 137 | 0 | 765 | 0 | 765 |
| Stomach | 0 | 0 | 0 | 0 | 8 | 5 | 25 | 9 | 10 | 8 | 44 | 22 | 66 |
| Testis | 1 | 0 | 15 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 25 | 0 | 25 |
| Thyroid | 0 | 0 | 2 | 8 | 5 | 19 | 6 | 11 | 2 | 2 | 15 | 40 | 55 |
| All Other Cancers | 3 | 2 | 6 | 5 | 37 | 33 | 108 | 94 | 61 | 74 | 215 | 209 | 424 |
| All Cancers | 13 | 10 | 54 | 75 | 446 | 551 | 1535 | 1078 | 558 | 480 | 2606 | 2194 | 4800 |

Population estimates are from PEOPLE 35 produced by BC Stats.
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2012 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 20 | 7 | 115 | 38 | 69 | 23 | 206 | 68 | 273 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 47 | 0 | 77 | 0 | 18 | 0 | 144 | 144 |
| Brain | 2 | 2 | 3 | 3 | 10 | 6 | 16 | 13 | 5 | 4 | 36 | 28 | 64 |
| Breast | 0 | 1 | 0 | 19 | 0 | 213 | 0 | 296 | 0 | 81 | 0 | 609 | 609 |
| Cervix | 0 | 0 | 0 | 8 | 0 | 14 | 0 | 9 | 0 | 3 | 0 | 34 | 34 |
| Colorectal | 0 | 0 | 3 | 2 | 48 | 44 | 201 | 132 | 76 | 78 | 327 | 256 | 583 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 27 | 7 | 8 | 5 | 44 | 15 | 60 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 2 | 0 | 1 | 11 | 9 | 19 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 10 | 43 | 24 | 13 | 10 | 76 | 44 | 120 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 13 | 2 | 3 | 1 | 21 | 4 | 25 |
| Leukemia | 3 | 2 | 2 | 1 | 11 | 7 | 32 | 20 | 15 | 13 | 64 | 43 | 107 |
| Liver | 0 | 0 | 0 | 0 | 12 | 3 | 19 | 7 | 4 | 2 | 36 | 13 | 49 |
| Lung | 0 | 0 | 1 | 1 | 40 | 42 | 191 | 194 | 80 | 75 | 311 | 312 | 624 |
| Melanoma | 0 | 1 | 8 | 14 | 39 | 37 | 72 | 50 | 25 | 15 | 144 | 117 | 262 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 5 | 23 | 16 | 10 | 9 | 39 | 30 | 69 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 3 | 29 | 21 | 70 | 51 | 24 | 24 | 130 | 100 | 230 |
| Oral | 0 | 0 | 2 | 1 | 29 | 10 | 40 | 18 | 7 | 6 | 77 | 36 | 113 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 17 | 0 | 25 | 0 | 11 | 0 | 56 | 56 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 6 | 29 | 21 | 13 | 16 | 52 | 43 | 95 |
| Prostate | 0 | 0 | 0 | 0 | 103 | 0 | 544 | 0 | 140 | 0 | 788 | 0 | 788 |
| Stomach | 0 | 0 | 0 | 0 | 8 | 5 | 25 | 9 | 10 | 8 | 44 | 22 | 66 |
| Testis | 1 | 0 | 15 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 26 | 0 | 26 |
| Thyroid | 0 | 0 | 2 | 9 | 5 | 19 | 6 | 12 | 2 | 2 | 15 | 41 | 57 |
| All Other Cancers | 3 | 2 | 6 | 5 | 37 | 33 | 111 | 98 | 62 | 74 | 219 | 212 | 431 |
| All Cancers | 13 | 10 | 56 | 77 | 447 | 549 | 1582 | 1122 | 568 | 478 | 2665 | 2237 | 4902 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2013 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 20 | 6 | 119 | 40 | 72 | 23 | 212 | 70 | 281 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 48 | 0 | 82 | 0 | 18 | 0 | 150 | 150 |
| Brain | 2 | 2 | 3 | 3 | 10 | 6 | 16 | 13 | 5 | 4 | 36 | 28 | 64 |
| Breast | 0 | 1 | 0 | 19 | 0 | 212 | 0 | 309 | 0 | 81 | 0 | 622 | 622 |
| Cervix | 0 | 0 | 0 | 8 | 0 | 14 | 0 | 9 | 0 | 3 | 0 | 34 | 34 |
| Colorectal | 0 | 0 | 3 | 2 | 47 | 43 | 207 | 136 | 76 | 76 | 332 | 257 | 590 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 29 | 7 | 8 | 5 | 46 | 15 | 61 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 2 | 0 | 1 | 11 | 9 | 19 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 10 | 45 | 25 | 14 | 10 | 78 | 45 | 123 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 13 | 2 | 3 | 1 | 21 | 4 | 25 |
| Leukemia | 3 | 2 | 2 | 1 | 11 | 7 | 33 | 21 | 15 | 13 | 64 | 44 | 108 |
| Liver | 0 | 0 | 0 | 1 | 12 | 3 | 20 | 8 | 4 | 2 | 37 | 14 | 51 |
| Lung | 0 | 0 | 1 | 1 | 39 | 41 | 193 | 204 | 81 | 76 | 314 | 321 | 635 |
| Melanoma | 0 | 1 | 8 | 15 | 40 | 37 | 77 | 55 | 26 | 16 | 151 | 123 | 273 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 5 | 24 | 17 | 10 | 9 | 41 | 31 | 71 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 3 | 29 | 21 | 73 | 53 | 25 | 24 | 133 | 102 | 235 |
| Oral | 0 | 0 | 2 | 1 | 29 | 10 | 41 | 19 | 7 | 6 | 79 | 37 | 116 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 16 | 0 | 26 | 0 | 11 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 6 | 29 | 21 | 13 | 15 | 52 | 42 | 95 |
| Prostate | 0 | 0 | 0 | 0 | 103 | 0 | 565 | 0 | 144 | 0 | 813 | 0 | 813 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 25 | 9 | 10 | 8 | 44 | 22 | 66 |
| Testis | 1 | 0 | 16 | 0 | 8 | 0 | 1 | 0 | 0 | 0 | 26 | 0 | 26 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 20 | 6 | 13 | 2 | 2 | 16 | 43 | 59 |
| All Other Cancers | 3 | 2 | 6 | 5 | 37 | 33 | 115 | 101 | 63 | 74 | 223 | 215 | 438 |
| All Cancers | 13 | 10 | 57 | 78 | 448 | 547 | 1634 | 1171 | 578 | 476 | 2729 | 2281 | 5011 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2014 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 20 | 6 | 123 | 42 | 74 | 23 | 218 | 72 | 289 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 48 | 0 | 87 | 0 | 18 | 0 | 156 | 156 |
| Brain | 2 | 2 | 3 | 3 | 10 | 5 | 16 | 14 | 5 | 4 | 37 | 29 | 65 |
| Breast | 0 | 1 | 0 | 20 | 0 | 211 | 0 | 322 | 0 | 81 | 0 | 634 | 634 |
| Cervix | 0 | 0 | 0 | 8 | 0 | 13 | 0 | 10 | 0 | 3 | 0 | 35 | 35 |
| Colorectal | 0 | 0 | 3 | 2 | 47 | 43 | 213 | 140 | 75 | 73 | 338 | 259 | 597 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 30 | 7 | 8 | 5 | 47 | 15 | 62 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 2 | 0 | 1 | 11 | 9 | 20 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 10 | 47 | 26 | 14 | 10 | 80 | 46 | 127 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 14 | 3 | 3 | 1 | 21 | 4 | 25 |
| Leukemia | 3 | 2 | 2 | 1 | 11 | 7 | 33 | 21 | 15 | 12 | 65 | 44 | 109 |
| Liver | 0 | 0 | 0 | 1 | 13 | 4 | 21 | 9 | 4 | 1 | 38 | 15 | 53 |
| Lung | 0 | 0 | 1 | 1 | 39 | 39 | 196 | 214 | 82 | 76 | 317 | 330 | 647 |
| Melanoma | 0 | 1 | 8 | 15 | 40 | 37 | 81 | 60 | 27 | 16 | 157 | 128 | 285 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 5 | 25 | 18 | 10 | 9 | 42 | 32 | 73 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 29 | 21 | 76 | 55 | 25 | 24 | 136 | 104 | 240 |
| Oral | 0 | 0 | 2 | 1 | 30 | 11 | 43 | 20 | 7 | 6 | 81 | 37 | 119 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 16 | 0 | 26 | 0 | 11 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 6 | 30 | 21 | 13 | 14 | 53 | 41 | 94 |
| Prostate | 0 | 0 | 0 | 0 | 104 | 0 | 587 | 0 | 146 | 0 | 837 | 0 | 837 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 26 | 9 | 10 | 7 | 45 | 22 | 66 |
| Testis | 1 | 0 | 17 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 27 | 0 | 27 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 20 | 7 | 14 | 2 | 2 | 17 | 44 | 61 |
| All Other Cancers | 3 | 2 | 6 | 5 | 37 | 32 | 118 | 105 | 64 | 73 | 227 | 218 | 445 |
| All Cancers | 13 | 10 | 57 | 79 | 449 | 544 | 1689 | 1225 | 585 | 470 | 2793 | 2328 | 5121 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2015 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 20 | 6 | 126 | 44 | 76 | 23 | 224 | 74 | 297 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 92 | 0 | 19 | 0 | 162 | 162 |
| Brain | 2 | 2 | 3 | 3 | 10 | 5 | 16 | 15 | 5 | 4 | 37 | 29 | 66 |
| Breast | 0 | 1 | 0 | 20 | 0 | 209 | 0 | 336 | 0 | 81 | 0 | 647 | 647 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 10 | 0 | 3 | 0 | 35 | 35 |
| Colorectal | 0 | 0 | 3 | 2 | 46 | 43 | 219 | 144 | 75 | 71 | 343 | 260 | 603 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 31 | 7 | 7 | 5 | 48 | 15 | 63 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 2 | 0 | 1 | 11 | 9 | 20 |
| Kidney | 1 | 0 | 1 | 1 | 18 | 10 | 49 | 27 | 14 | 10 | 82 | 48 | 130 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 14 | 3 | 3 | 1 | 21 | 4 | 25 |
| Leukemia | 3 | 2 | 2 | 1 | 11 | 7 | 34 | 22 | 15 | 12 | 65 | 44 | 109 |
| Liver | 0 | 0 | 0 | 1 | 13 | 4 | 22 | 9 | 4 | 1 | 39 | 15 | 55 |
| Lung | 0 | 0 | 1 | 1 | 38 | 38 | 198 | 224 | 82 | 77 | 319 | 339 | 658 |
| Melanoma | 0 | 1 | 8 | 16 | 41 | 36 | 86 | 65 | 29 | 16 | 163 | 134 | 297 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 5 | 26 | 18 | 10 | 9 | 43 | 32 | 75 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 21 | 78 | 58 | 26 | 24 | 139 | 106 | 245 |
| Oral | 0 | 0 | 2 | 1 | 31 | 11 | 44 | 21 | 7 | 6 | 83 | 38 | 121 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 15 | 0 | 27 | 0 | 11 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 30 | 21 | 13 | 14 | 53 | 40 | 93 |
| Prostate | 0 | 0 | 0 | 0 | 104 | 0 | 607 | 0 | 149 | 0 | 861 | 0 | 861 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 26 | 9 | 10 | 7 | 45 | 21 | 66 |
| Testis | 1 | 0 | 17 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 28 | 0 | 28 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 21 | 7 | 15 | 3 | 1 | 18 | 46 | 63 |
| All Other Cancers | 3 | 2 | 6 | 5 | 36 | 32 | 122 | 109 | 64 | 72 | 231 | 221 | 452 |
| All Cancers | 13 | 10 | 58 | 80 | 450 | 538 | 1739 | 1279 | 594 | 468 | 2854 | 2375 | 5228 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2016 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 19 | 5 | 130 | 47 | 79 | 23 | 229 | 76 | 305 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 97 | 0 | 19 | 0 | 168 | 168 |
| Brain | 2 | 2 | 3 | 3 | 10 | 5 | 17 | 15 | 5 | 4 | 37 | 29 | 66 |
| Breast | 0 | 1 | 0 | 20 | 0 | 207 | 0 | 350 | 0 | 82 | 0 | 659 | 659 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 11 | 0 | 3 | 0 | 36 | 36 |
| Colorectal | 0 | 0 | 3 | 2 | 45 | 42 | 225 | 148 | 75 | 70 | 348 | 262 | 609 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 32 | 8 | 7 | 4 | 49 | 15 | 64 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 11 | 9 | 20 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 51 | 28 | 14 | 10 | 84 | 49 | 133 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 14 | 3 | 3 | 1 | 22 | 4 | 26 |
| Leukemia | 3 | 2 | 2 | 1 | 10 | 7 | 35 | 22 | 15 | 12 | 66 | 44 | 110 |
| Liver | 0 | 0 | 0 | 1 | 13 | 4 | 23 | 10 | 4 | 1 | 40 | 16 | 57 |
| Lung | 0 | 0 | 0 | 1 | 37 | 36 | 200 | 234 | 83 | 78 | 321 | 348 | 670 |
| Melanoma | 0 | 1 | 8 | 16 | 41 | 36 | 90 | 71 | 30 | 17 | 170 | 140 | 310 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 27 | 19 | 11 | 9 | 44 | 33 | 77 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 20 | 81 | 60 | 26 | 24 | 142 | 108 | 250 |
| Oral | 0 | 0 | 2 | 1 | 31 | 11 | 45 | 21 | 7 | 6 | 85 | 39 | 124 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 15 | 0 | 27 | 0 | 10 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 30 | 21 | 13 | 13 | 53 | 39 | 92 |
| Prostate | 0 | 0 | 0 | 0 | 104 | 0 | 627 | 0 | 152 | 0 | 883 | 0 | 883 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 26 | 9 | 10 | 7 | 45 | 21 | 66 |
| Testis | 1 | 0 | 18 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 29 | 0 | 29 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 21 | 7 | 16 | 3 | 1 | 18 | 47 | 65 |
| All Other Cancers | 3 | 2 | 6 | 5 | 36 | 31 | 125 | 113 | 65 | 72 | 235 | 224 | 459 |
| All Cancers | 13 | 10 | 59 | 81 | 447 | 532 | 1790 | 1331 | 602 | 467 | 2912 | 2421 | 5334 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2017 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 19 | 5 | 135 | 49 | 81 | 24 | 236 | 79 | 315 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 102 | 0 | 20 | 0 | 174 | 174 |
| Brain | 2 | 2 | 3 | 3 | 10 | 5 | 17 | 16 | 5 | 3 | 37 | 30 | 67 |
| Breast | 0 | 1 | 0 | 20 | 0 | 206 | 0 | 363 | 0 | 82 | 0 | 672 | 672 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 11 | 0 | 3 | 0 | 36 | 36 |
| Colorectal | 0 | 0 | 3 | 2 | 44 | 41 | 232 | 153 | 75 | 68 | 354 | 264 | 618 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 34 | 8 | 7 | 4 | 51 | 15 | 65 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 11 | 9 | 21 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 53 | 30 | 15 | 10 | 87 | 50 | 137 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 15 | 3 | 3 | 1 | 22 | 4 | 26 |
| Leukemia | 3 | 2 | 2 | 1 | 10 | 6 | 35 | 23 | 15 | 12 | 66 | 44 | 110 |
| Liver | 0 | 0 | 0 | 1 | 14 | 4 | 24 | 11 | 4 | 1 | 42 | 17 | 59 |
| Lung | 0 | 0 | 0 | 1 | 37 | 35 | 204 | 245 | 83 | 79 | 324 | 360 | 683 |
| Melanoma | 0 | 1 | 8 | 16 | 42 | 36 | 95 | 77 | 31 | 17 | 177 | 147 | 324 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 28 | 20 | 11 | 9 | 46 | 34 | 80 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 20 | 84 | 62 | 27 | 24 | 145 | 111 | 256 |
| Oral | 0 | 0 | 2 | 1 | 32 | 11 | 47 | 22 | 7 | 5 | 87 | 39 | 126 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 14 | 0 | 28 | 0 | 10 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 31 | 21 | 13 | 12 | 54 | 38 | 92 |
| Prostate | 0 | 0 | 0 | 0 | 103 | 0 | 650 | 0 | 155 | 0 | 908 | 0 | 908 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 27 | 9 | 9 | 7 | 45 | 21 | 67 |
| Testis | 1 | 0 | 18 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 30 | 0 | 30 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 22 | 8 | 17 | 3 | 1 | 19 | 49 | 68 |
| All Other Cancers | 3 | 2 | 6 | 5 | 35 | 31 | 130 | 118 | 66 | 72 | 240 | 228 | 467 |
| All Cancers | 13 | 10 | 60 | 82 | 445 | 527 | 1850 | 1390 | 610 | 466 | 2979 | 2475 | 5454 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2018 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 18 | 5 | 139 | 52 | 84 | 24 | 243 | 81 | 324 |
| Body of Uterus | 0 | 0 | 0 | 2 | 0 | 50 | 0 | 107 | 0 | 20 | 0 | 180 | 180 |
| Brain | 2 | 2 | 3 | 4 | 10 | 5 | 17 | 17 | 5 | 3 | 37 | 30 | 68 |
| Breast | 0 | 1 | 0 | 20 | 0 | 204 | 0 | 376 | 0 | 83 | 0 | 684 | 684 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 11 | 0 | 3 | 0 | 37 | 37 |
| Colorectal | 0 | 0 | 3 | 2 | 43 | 40 | 238 | 157 | 74 | 67 | 359 | 266 | 626 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 35 | 8 | 7 | 4 | 52 | 15 | 66 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 11 | 9 | 21 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 55 | 31 | 15 | 10 | 89 | 51 | 141 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 15 | 3 | 3 | 1 | 22 | 4 | 26 |
| Leukemia | 3 | 2 | 2 | 1 | 10 | 6 | 36 | 24 | 15 | 12 | 66 | 45 | 111 |
| Liver | 0 | 1 | 0 | 1 | 14 | 5 | 25 | 11 | 4 | 1 | 43 | 19 | 61 |
| Lung | 0 | 0 | 0 | 1 | 36 | 33 | 206 | 256 | 84 | 80 | 326 | 371 | 697 |
| Melanoma | 0 | 1 | 8 | 17 | 42 | 35 | 100 | 83 | 33 | 18 | 184 | 154 | 338 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 29 | 21 | 11 | 10 | 47 | 35 | 82 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 20 | 87 | 65 | 27 | 24 | 148 | 113 | 261 |
| Oral | 0 | 0 | 2 | 1 | 32 | 11 | 48 | 23 | 7 | 5 | 89 | 40 | 129 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 14 | 0 | 28 | 0 | 10 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 31 | 21 | 13 | 12 | 54 | 37 | 91 |
| Prostate | 0 | 0 | 0 | 0 | 102 | 0 | 672 | 0 | 158 | 0 | 931 | 0 | 931 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 27 | 9 | 9 | 7 | 46 | 21 | 67 |
| Testis | 1 | 0 | 19 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 30 | 0 | 30 |
| Thyroid | 0 | 0 | 3 | 9 | 5 | 22 | 8 | 18 | 4 | 1 | 20 | 50 | 70 |
| All Other Cancers | 3 | 2 | 6 | 5 | 35 | 30 | 134 | 122 | 67 | 72 | 244 | 231 | 475 |
| All Cancers | 13 | 11 | 60 | 82 | 442 | 522 | 1907 | 1446 | 619 | 468 | 3041 | 2529 | 5570 |

Population estimates are from PEOPLE 35 produced by BC Stats.
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2019 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 18 | 5 | 143 | 54 | 87 | 25 | 249 | 84 | 333 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 50 | 0 | 113 | 0 | 21 | 0 | 186 | 186 |
| Brain | 2 | 2 | 3 | 4 | 10 | 4 | 17 | 17 | 5 | 3 | 37 | 31 | 68 |
| Breast | 0 | 1 | 0 | 21 | 0 | 203 | 0 | 389 | 0 | 84 | 0 | 697 | 697 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 12 | 0 | 3 | 0 | 37 | 37 |
| Colorectal | 0 | 0 | 3 | 2 | 43 | 40 | 244 | 161 | 74 | 66 | 364 | 269 | 633 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 36 | 8 | 7 | 4 | 53 | 14 | 68 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 12 | 9 | 21 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 56 | 32 | 15 | 10 | 91 | 53 | 144 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 15 | 3 | 3 | 1 | 22 | 4 | 26 |
| Leukemia | 3 | 2 | 2 | 1 | 10 | 6 | 37 | 24 | 15 | 12 | 67 | 45 | 112 |
| Liver | 0 | 1 | 0 | 1 | 14 | 5 | 25 | 12 | 4 | 1 | 44 | 20 | 64 |
| Lung | 0 | 0 | 0 | 1 | 35 | 32 | 207 | 267 | 85 | 82 | 328 | 381 | 709 |
| Melanoma | 0 | 1 | 8 | 17 | 43 | 35 | 105 | 90 | 34 | 18 | 191 | 161 | 353 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 30 | 22 | 11 | 10 | 48 | 36 | 84 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 20 | 89 | 67 | 28 | 24 | 151 | 115 | 266 |
| Oral | 0 | 0 | 2 | 1 | 33 | 11 | 50 | 24 | 7 | 5 | 91 | 40 | 131 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 14 | 0 | 29 | 0 | 10 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 31 | 20 | 13 | 12 | 54 | 37 | 91 |
| Prostate | 0 | 0 | 0 | 0 | 101 | 0 | 691 | 0 | 162 | 0 | 954 | 0 | 954 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 27 | 9 | 9 | 7 | 46 | 21 | 67 |
| Testis | 1 | 0 | 19 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 31 | 0 | 31 |
| Thyroid | 0 | 0 | 3 | 8 | 5 | 23 | 8 | 19 | 4 | 1 | 21 | 52 | 73 |
| All Other Cancers | 3 | 2 | 6 | 5 | 35 | 30 | 137 | 126 | 68 | 72 | 248 | 235 | 483 |
| All Cancers | 13 | 11 | 61 | 83 | 441 | 519 | 1955 | 1499 | 632 | 471 | 3102 | 2583 | 5685 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2020 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 18 | 4 | 147 | 57 | 90 | 25 | 256 | 87 | 343 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 50 | 0 | 118 | 0 | 21 | 0 | 192 | 192 |
| Brain | 2 | 2 | 3 | 4 | 10 | 4 | 17 | 18 | 5 | 3 | 37 | 31 | 69 |
| Breast | 0 | 1 | 0 | 21 | 0 | 203 | 0 | 401 | 0 | 85 | 0 | 710 | 710 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 12 | 0 | 3 | 0 | 38 | 38 |
| Colorectal | 0 | 0 | 3 | 2 | 42 | 39 | 249 | 165 | 75 | 65 | 369 | 271 | 640 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 37 | 8 | 7 | 4 | 54 | 14 | 69 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 12 | 10 | 21 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 58 | 33 | 16 | 10 | 94 | 54 | 148 |
| Larynx | 0 | 0 | 0 | 0 | 4 | 1 | 15 | 3 | 3 | 1 | 22 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 10 | 6 | 37 | 25 | 15 | 12 | 67 | 45 | 112 |
| Liver | 0 | 1 | 0 | 2 | 14 | 5 | 26 | 13 | 4 | 1 | 45 | 21 | 66 |
| Lung | 0 | 0 | 0 | 1 | 34 | 31 | 209 | 277 | 86 | 84 | 329 | 392 | 722 |
| Melanoma | 0 | 1 | 8 | 17 | 44 | 35 | 110 | 97 | 36 | 19 | 199 | 169 | 368 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 31 | 23 | 12 | 10 | 49 | 37 | 87 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 19 | 92 | 69 | 28 | 25 | 154 | 118 | 272 |
| Oral | 0 | 0 | 2 | 1 | 33 | 11 | 51 | 24 | 7 | 5 | 93 | 41 | 134 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 13 | 0 | 29 | 0 | 10 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 5 | 32 | 20 | 13 | 11 | 54 | 36 | 90 |
| Prostate | 0 | 0 | 0 | 0 | 101 | 0 | 710 | 0 | 166 | 0 | 977 | 0 | 977 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 28 | 9 | 9 | 7 | 46 | 21 | 67 |
| Testis | 1 | 0 | 20 | 0 | 9 | 0 | 2 | 0 | 0 | 0 | 32 | 0 | 32 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 24 | 9 | 20 | 5 | 1 | 22 | 54 | 76 |
| All Other Cancers | 3 | 2 | 6 | 5 | 34 | 29 | 140 | 129 | 69 | 73 | 252 | 239 | 492 |
| All Cancers | 13 | 11 | 61 | 83 | 441 | 516 | 2003 | 1552 | 646 | 477 | 3164 | 2638 | 5803 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2021 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 17 | 4 | 150 | 59 | 95 | 26 | 263 | 90 | 353 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 51 | 0 | 123 | 0 | 22 | 0 | 198 | 198 |
| Brain | 2 | 2 | 3 | 4 | 10 | 4 | 17 | 18 | 5 | 3 | 38 | 32 | 69 |
| Breast | 0 | 1 | 0 | 21 | 0 | 203 | 0 | 412 | 0 | 87 | 0 | 723 | 723 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 12 | 0 | 3 | 0 | 38 | 38 |
| Colorectal | 0 | 0 | 3 | 2 | 41 | 39 | 254 | 167 | 75 | 65 | 373 | 273 | 646 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 38 | 8 | 7 | 4 | 56 | 14 | 70 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 3 | 3 | 1 | 1 | 12 | 10 | 22 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 60 | 34 | 16 | 11 | 96 | 55 | 151 |
| Larynx | 0 | 0 | 0 | 0 | 3 | 1 | 15 | 3 | 3 | 1 | 22 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 9 | 6 | 37 | 25 | 15 | 12 | 68 | 45 | 113 |
| Liver | 0 | 1 | 0 | 2 | 15 | 5 | 27 | 14 | 4 | 1 | 46 | 23 | 69 |
| Lung | 0 | 0 | 0 | 1 | 34 | 30 | 209 | 286 | 88 | 87 | 331 | 404 | 734 |
| Melanoma | 0 | 1 | 8 | 18 | 44 | 35 | 115 | 104 | 38 | 20 | 206 | 178 | 384 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 32 | 24 | 12 | 10 | 51 | 38 | 89 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 19 | 94 | 71 | 29 | 25 | 157 | 120 | 277 |
| Oral | 0 | 0 | 1 | 1 | 34 | 11 | 52 | 25 | 7 | 5 | 95 | 42 | 136 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 13 | 0 | 29 | 0 | 10 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 4 | 32 | 20 | 13 | 11 | 54 | 35 | 89 |
| Prostate | 0 | 0 | 0 | 0 | 100 | 0 | 727 | 0 | 171 | 0 | 999 | 0 | 999 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 28 | 9 | 9 | 7 | 46 | 21 | 67 |
| Testis | 1 | 0 | 20 | 0 | 9 | 0 | 2 | 0 | 0 | 0 | 33 | 0 | 33 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 25 | 9 | 21 | 6 | 1 | 23 | 56 | 79 |
| All Other Cancers | 3 | 2 | 6 | 5 | 34 | 29 | 143 | 133 | 71 | 74 | 257 | 243 | 500 |
| All Cancers | 13 | 11 | 61 | 83 | 441 | 515 | 2043 | 1599 | 665 | 487 | 3225 | 2695 | 5920 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)

Estimated New Cancer Diagnoses for 2022 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 17 | 4 | 152 | 61 | 99 | 27 | 270 | 93 | 363 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 51 | 0 | 127 | 0 | 23 | 0 | 205 | 205 |
| Brain | 2 | 2 | 3 | 4 | 10 | 4 | 17 | 19 | 5 | 3 | 38 | 32 | 70 |
| Breast | 0 | 1 | 0 | 20 | 0 | 203 | 0 | 421 | 0 | 90 | 0 | 735 | 735 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 13 | 0 | 13 | 0 | 4 | 0 | 39 | 39 |
| Colorectal | 0 | 0 | 3 | 2 | 41 | 38 | 257 | 169 | 76 | 65 | 377 | 275 | 652 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 39 | 7 | 7 | 4 | 57 | 14 | 71 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 4 | 3 | 1 | 1 | 12 | 10 | 22 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 61 | 35 | 17 | 11 | 98 | 57 | 155 |
| Larynx | 0 | 0 | 0 | 0 | 3 | 1 | 15 | 3 | 4 | 1 | 22 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 9 | 6 | 38 | 25 | 16 | 12 | 68 | 46 | 113 |
| Liver | 0 | 1 | 0 | 2 | 15 | 6 | 28 | 14 | 4 | 1 | 47 | 24 | 71 |
| Lung | 0 | 0 | 0 | 1 | 33 | 29 | 208 | 295 | 90 | 91 | 332 | 414 | 746 |
| Melanoma | 0 | 1 | 8 | 18 | 45 | 35 | 120 | 111 | 41 | 21 | 214 | 186 | 400 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 33 | 24 | 13 | 10 | 52 | 39 | 91 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 28 | 19 | 95 | 73 | 30 | 26 | 160 | 122 | 282 |
| Oral | 0 | 0 | 1 | 1 | 35 | 11 | 53 | 26 | 7 | 5 | 96 | 42 | 139 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 13 | 0 | 29 | 0 | 10 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 4 | 31 | 19 | 13 | 11 | 55 | 34 | 89 |
| Prostate | 0 | 0 | 0 | 0 | 100 | 0 | 741 | 0 | 178 | 0 | 1019 | 0 | 1019 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 28 | 9 | 9 | 7 | 46 | 21 | 67 |
| Testis | 1 | 0 | 20 | 0 | 9 | 0 | 2 | 0 | 0 | 0 | 34 | 0 | 34 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 26 | 9 | 22 | 6 | 1 | 25 | 57 | 82 |
| All Other Cancers | 3 | 2 | 6 | 5 | 34 | 29 | 145 | 135 | 73 | 77 | 261 | 248 | 508 |
| All Cancers | 14 | 11 | 62 | 83 | 440 | 514 | 2077 | 1640 | 689 | 502 | 3281 | 2751 | 6032 |

Population estimates are from PEOPLE 35 produced by BC Stats.
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2023 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 17 | 4 | 154 | 63 | 105 | 28 | 277 | 96 | 374 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 52 | 0 | 132 | 0 | 25 | 0 | 211 | 211 |
| Brain | 2 | 3 | 3 | 4 | 10 | 4 | 17 | 19 | 5 | 3 | 38 | 33 | 70 |
| Breast | 0 | 1 | 0 | 20 | 0 | 203 | 0 | 429 | 0 | 94 | 0 | 747 | 747 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 14 | 0 | 13 | 0 | 4 | 0 | 39 | 39 |
| Colorectal | 0 | 0 | 3 | 2 | 40 | 38 | 260 | 171 | 78 | 66 | 381 | 277 | 657 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 3 | 40 | 7 | 7 | 4 | 58 | 14 | 72 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 4 | 3 | 1 | 1 | 12 | 10 | 22 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 62 | 36 | 18 | 12 | 100 | 58 | 158 |
| Larynx | 0 | 0 | 0 | 0 | 3 | 1 | 15 | 3 | 4 | 1 | 23 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 9 | 6 | 38 | 25 | 16 | 12 | 68 | 46 | 114 |
| Liver | 0 | 1 | 0 | 3 | 15 | 6 | 28 | 15 | 4 | 1 | 48 | 25 | 74 |
| Lung | 0 | 0 | 0 | 1 | 32 | 27 | 207 | 302 | 93 | 95 | 333 | 426 | 758 |
| Melanoma | 0 | 1 | 8 | 18 | 46 | 35 | 124 | 119 | 44 | 23 | 223 | 195 | 418 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 34 | 25 | 13 | 11 | 53 | 40 | 94 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 27 | 19 | 97 | 74 | 31 | 27 | 162 | 125 | 287 |
| Oral | 0 | 0 | 1 | 1 | 35 | 11 | 54 | 26 | 7 | 5 | 98 | 43 | 141 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 12 | 0 | 29 | 0 | 10 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 4 | 31 | 19 | 13 | 11 | 55 | 33 | 88 |
| Prostate | 0 | 0 | 0 | 0 | 99 | 0 | 755 | 0 | 186 | 0 | 1040 | 0 | 1040 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 28 | 8 | 9 | 7 | 46 | 21 | 67 |
| Testis | 2 | 0 | 21 | 0 | 10 | 0 | 2 | 0 | 0 | 0 | 35 | 0 | 35 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 27 | 9 | 23 | 8 | 1 | 26 | 59 | 85 |
| All Other Cancers | 3 | 2 | 6 | 5 | 33 | 29 | 147 | 137 | 76 | 79 | 265 | 252 | 517 |
| All Cancers | 14 | 12 | 62 | 83 | 438 | 514 | 2107 | 1680 | 719 | 519 | 3339 | 2808 | 6148 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2024 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 16 | 4 | 156 | 65 | 112 | 30 | 285 | 99 | 385 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 52 | 0 | 136 | 0 | 26 | 0 | 217 | 217 |
| Brain | 2 | 3 | 3 | 4 | 10 | 4 | 17 | 20 | 6 | 3 | 38 | 33 | 71 |
| Breast | 0 | 1 | 0 | 20 | 0 | 203 | 0 | 437 | 0 | 98 | 0 | 759 | 759 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 14 | 0 | 13 | 0 | 4 | 0 | 40 | 40 |
| Colorectal | 0 | 0 | 3 | 1 | 39 | 37 | 262 | 172 | 80 | 67 | 384 | 278 | 663 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 3 | 41 | 7 | 7 | 4 | 59 | 14 | 73 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 4 | 3 | 1 | 1 | 12 | 10 | 22 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 64 | 37 | 19 | 12 | 102 | 60 | 162 |
| Larynx | 0 | 0 | 0 | 0 | 3 | 1 | 15 | 3 | 4 | 1 | 23 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 9 | 5 | 38 | 25 | 17 | 13 | 68 | 46 | 114 |
| Liver | 0 | 1 | 0 | 3 | 16 | 6 | 29 | 16 | 5 | 1 | 49 | 27 | 76 |
| Lung | 0 | 0 | 0 | 0 | 32 | 26 | 206 | 310 | 96 | 101 | 334 | 437 | 771 |
| Melanoma | 0 | 1 | 8 | 18 | 46 | 35 | 129 | 126 | 47 | 24 | 231 | 204 | 436 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 34 | 25 | 14 | 11 | 55 | 41 | 96 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 27 | 19 | 99 | 76 | 33 | 28 | 165 | 127 | 293 |
| Oral | 0 | 0 | 1 | 1 | 36 | 11 | 55 | 27 | 7 | 5 | 100 | 43 | 143 |
| Ovary | 0 | 0 | 0 | 2 | 0 | 12 | 0 | 29 | 0 | 10 | 0 | 53 | 53 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 4 | 31 | 18 | 13 | 11 | 55 | 33 | 87 |
| Prostate | 0 | 0 | 0 | 0 | 98 | 0 | 768 | 0 | 195 | 0 | 1060 | 0 | 1060 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 27 | 8 | 9 | 8 | 46 | 21 | 67 |
| Testis | 2 | 0 | 21 | 0 | 10 | 0 | 2 | 0 | 0 | 0 | 35 | 0 | 35 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 28 | 10 | 24 | 9 | 1 | 28 | 61 | 89 |
| All Other Cancers | 3 | 2 | 6 | 5 | 33 | 28 | 149 | 139 | 79 | 82 | 269 | 257 | 526 |
| All Cancers | 14 | 12 | 62 | 84 | 437 | 513 | 2134 | 1717 | 750 | 541 | 3398 | 2866 | 6264 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated New Cancer Diagnoses for 2025 by Age at Diagnosis and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 1 | 1 | 16 | 3 | 157 | 67 | 118 | 32 | 293 | 103 | 395 |
| Body of Uterus | 0 | 0 | 0 | 3 | 0 | 53 | 0 | 140 | 0 | 28 | 0 | 223 | 223 |
| Brain | 2 | 3 | 3 | 4 | 10 | 4 | 16 | 20 | 6 | 3 | 38 | 34 | 71 |
| Breast | 0 | 1 | 0 | 20 | 0 | 204 | 0 | 443 | 0 | 102 | 0 | 771 | 771 |
| Cervix | 0 | 0 | 0 | 9 | 0 | 14 | 0 | 13 | 0 | 4 | 0 | 40 | 40 |
| Colorectal | 0 | 0 | 3 | 1 | 38 | 37 | 264 | 173 | 82 | 68 | 387 | 280 | 667 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 3 | 41 | 7 | 7 | 4 | 60 | 14 | 74 |
| Hodgkin Lymphoma | 1 | 1 | 4 | 3 | 2 | 2 | 4 | 3 | 1 | 1 | 12 | 10 | 22 |
| Kidney | 1 | 0 | 1 | 1 | 17 | 9 | 65 | 38 | 20 | 13 | 104 | 61 | 165 |
| Larynx | 0 | 0 | 0 | 0 | 3 | 1 | 15 | 3 | 4 | 1 | 23 | 4 | 27 |
| Leukemia | 3 | 2 | 2 | 1 | 9 | 5 | 37 | 25 | 17 | 13 | 68 | 46 | 115 |
| Liver | 0 | 2 | 0 | 3 | 16 | 7 | 29 | 16 | 5 | 1 | 50 | 29 | 79 |
| Lung | 0 | 0 | 0 | 0 | 31 | 26 | 204 | 316 | 99 | 106 | 334 | 448 | 782 |
| Melanoma | 0 | 1 | 8 | 19 | 47 | 35 | 133 | 134 | 51 | 26 | 240 | 214 | 454 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 6 | 4 | 35 | 26 | 15 | 12 | 56 | 42 | 98 |
| Non-Hodgkin Lymphoma | 1 | 1 | 5 | 4 | 27 | 19 | 100 | 77 | 34 | 29 | 168 | 130 | 297 |
| Oral | 0 | 0 | 1 | 1 | 37 | 11 | 56 | 27 | 7 | 5 | 101 | 44 | 145 |
| Ovary | 0 | 0 | 0 | 1 | 0 | 12 | 0 | 29 | 0 | 11 | 0 | 53 | 53 |
| Pancreas | 0 | 0 | 0 | 0 | 10 | 4 | 31 | 17 | 13 | 10 | 55 | 32 | 86 |
| Prostate | 0 | 0 | 0 | 0 | 97 | 0 | 778 | 0 | 203 | 0 | 1078 | 0 | 1078 |
| Stomach | 0 | 0 | 0 | 0 | 9 | 5 | 27 | 8 | 9 | 8 | 46 | 21 | 67 |
| Testis | 2 | 0 | 22 | 0 | 10 | 0 | 2 | 0 | 0 | 0 | 36 | 0 | 36 |
| Thyroid | 0 | 0 | 3 | 8 | 6 | 29 | 10 | 25 | 10 | 1 | 30 | 63 | 93 |
| All Other Cancers | 3 | 2 | 6 | 5 | 33 | 28 | 150 | 141 | 81 | 85 | 273 | 261 | 534 |
| All Cancers | 14 | 12 | 63 | 84 | 437 | 515 | 2155 | 1748 | 782 | 562 | 3451 | 2922 | 6373 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



BC Cancer Agency

CARE + RESEARCH

An agency of the Provincial Health Services Authority

Cancer Surveillance & Outcomes

Cancer Mortality Projections

**Vancouver Island Health Authority
2010 to 2025**



Estimated Cancer Deaths for 2010 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 24 | 8 | 25 | 11 | 52 | 20 | 72 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 9 | 0 | 7 | 0 | 19 | 19 |
| Brain | 1 | 0 | 1 | 1 | 8 | 6 | 16 | 11 | 4 | 4 | 31 | 22 | 53 |
| Breast | 0 | 0 | 0 | 2 | 0 | 31 | 0 | 54 | 0 | 41 | 0 | 128 | 128 |
| Cervix | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 7 | 7 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 11 | 65 | 42 | 46 | 55 | 129 | 109 | 237 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 2 | 26 | 7 | 13 | 7 | 47 | 16 | 64 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 2 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 16 | 8 | 8 | 6 | 29 | 16 | 45 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 7 | 1 | 8 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 2 | 17 | 12 | 13 | 13 | 35 | 28 | 63 |
| Liver | 0 | 0 | 0 | 0 | 5 | 1 | 9 | 3 | 2 | 1 | 16 | 5 | 21 |
| Lung | 0 | 0 | 0 | 0 | 28 | 28 | 151 | 140 | 80 | 75 | 259 | 243 | 502 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 3 | 8 | 5 | 4 | 4 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 8 | 8 | 19 | 16 | 36 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 5 | 4 | 23 | 15 | 17 | 16 | 46 | 35 | 81 |
| Oral | 0 | 0 | 0 | 0 | 5 | 2 | 13 | 5 | 5 | 4 | 22 | 10 | 33 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 26 | 0 | 16 | 0 | 53 | 53 |
| Pancreas | 0 | 0 | 0 | 0 | 8 | 6 | 34 | 26 | 19 | 20 | 61 | 52 | 113 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 44 | 0 | 67 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 0 | 3 | 2 | 12 | 6 | 7 | 7 | 22 | 15 | 37 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 5 |
| All Other Cancers | 1 | 0 | 1 | 1 | 15 | 13 | 55 | 44 | 44 | 50 | 116 | 107 | 223 |
| All Cancers | 2 | 1 | 8 | 9 | 125 | 132 | 528 | 430 | 364 | 348 | 1027 | 919 | 1946 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2011 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 25 | 8 | 26 | 11 | 55 | 21 | 76 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 0 | 7 | 0 | 19 | 19 |
| Brain | 1 | 0 | 2 | 1 | 8 | 6 | 17 | 11 | 5 | 4 | 32 | 22 | 54 |
| Breast | 0 | 0 | 0 | 2 | 0 | 30 | 0 | 55 | 0 | 40 | 0 | 127 | 127 |
| Cervix | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 7 | 7 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 11 | 67 | 43 | 47 | 55 | 131 | 109 | 240 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 26 | 7 | 13 | 7 | 49 | 17 | 66 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 2 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 17 | 8 | 9 | 6 | 30 | 16 | 46 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 7 | 1 | 8 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 2 | 17 | 13 | 13 | 13 | 35 | 29 | 64 |
| Liver | 0 | 0 | 0 | 0 | 5 | 1 | 9 | 3 | 3 | 1 | 18 | 5 | 23 |
| Lung | 0 | 0 | 0 | 0 | 28 | 27 | 152 | 146 | 82 | 77 | 262 | 250 | 511 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 3 | 8 | 5 | 4 | 4 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 8 | 8 | 19 | 16 | 36 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 5 | 3 | 23 | 15 | 18 | 16 | 47 | 35 | 82 |
| Oral | 0 | 0 | 0 | 0 | 5 | 2 | 14 | 5 | 5 | 4 | 23 | 10 | 33 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 27 | 0 | 15 | 0 | 53 | 53 |
| Pancreas | 0 | 0 | 0 | 0 | 8 | 6 | 35 | 26 | 19 | 20 | 63 | 52 | 116 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 44 | 0 | 67 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 0 | 3 | 2 | 12 | 6 | 7 | 7 | 22 | 15 | 37 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 5 |
| All Other Cancers | 1 | 0 | 1 | 1 | 15 | 12 | 56 | 44 | 45 | 50 | 118 | 108 | 226 |
| All Cancers | 2 | 1 | 8 | 9 | 124 | 130 | 538 | 442 | 372 | 348 | 1045 | 929 | 1974 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2012 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 27 | 9 | 27 | 12 | 58 | 22 | 80 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 0 | 7 | 0 | 19 | 19 |
| Brain | 1 | 0 | 2 | 1 | 8 | 6 | 17 | 12 | 5 | 4 | 33 | 23 | 56 |
| Breast | 0 | 0 | 0 | 2 | 0 | 30 | 0 | 56 | 0 | 39 | 0 | 127 | 127 |
| Cervix | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 7 | 7 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 11 | 68 | 44 | 47 | 55 | 133 | 110 | 243 |
| Esophagus | 0 | 0 | 0 | 0 | 9 | 3 | 27 | 8 | 14 | 7 | 50 | 17 | 67 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 17 | 8 | 9 | 6 | 31 | 16 | 47 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 7 | 1 | 8 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 3 | 18 | 13 | 13 | 13 | 35 | 29 | 64 |
| Liver | 0 | 0 | 0 | 0 | 6 | 2 | 10 | 3 | 3 | 1 | 19 | 6 | 25 |
| Lung | 0 | 0 | 0 | 0 | 27 | 26 | 153 | 153 | 83 | 78 | 263 | 257 | 521 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 2 | 8 | 5 | 4 | 4 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 8 | 8 | 20 | 17 | 36 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 5 | 3 | 24 | 15 | 18 | 16 | 47 | 35 | 82 |
| Oral | 0 | 0 | 0 | 0 | 5 | 2 | 14 | 5 | 5 | 3 | 24 | 10 | 34 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 27 | 0 | 15 | 0 | 53 | 53 |
| Pancreas | 0 | 0 | 0 | 0 | 8 | 6 | 37 | 27 | 20 | 20 | 65 | 52 | 118 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 44 | 0 | 67 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 0 | 3 | 2 | 12 | 6 | 6 | 7 | 21 | 15 | 36 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 5 |
| All Other Cancers | 1 | 0 | 1 | 1 | 15 | 12 | 57 | 45 | 46 | 50 | 119 | 109 | 228 |
| All Cancers | 2 | 1 | 8 | 9 | 124 | 127 | 549 | 455 | 378 | 348 | 1061 | 941 | 2001 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2013 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 29 | 9 | 29 | 12 | 61 | 23 | 84 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 7 | 0 | 19 | 19 |
| Brain | 1 | 0 | 2 | 1 | 8 | 6 | 18 | 12 | 5 | 4 | 33 | 24 | 57 |
| Breast | 0 | 0 | 0 | 2 | 0 | 29 | 0 | 57 | 0 | 38 | 0 | 126 | 126 |
| Cervix | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 7 | 7 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 10 | 70 | 45 | 48 | 55 | 136 | 111 | 247 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 28 | 8 | 14 | 7 | 52 | 17 | 69 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 18 | 9 | 9 | 6 | 32 | 17 | 49 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 8 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 3 | 18 | 14 | 13 | 13 | 35 | 30 | 65 |
| Liver | 0 | 0 | 0 | 0 | 6 | 2 | 11 | 3 | 3 | 1 | 20 | 6 | 26 |
| Lung | 0 | 0 | 0 | 0 | 26 | 25 | 155 | 160 | 85 | 80 | 266 | 265 | 531 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 2 | 8 | 5 | 4 | 4 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 9 | 8 | 20 | 17 | 36 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 4 | 3 | 24 | 16 | 19 | 16 | 48 | 35 | 83 |
| Oral | 0 | 0 | 0 | 0 | 4 | 2 | 15 | 5 | 5 | 3 | 25 | 10 | 35 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 28 | 0 | 15 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 8 | 6 | 39 | 27 | 21 | 19 | 68 | 53 | 120 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 45 | 0 | 67 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 12 | 6 | 6 | 7 | 21 | 15 | 36 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 3 | 5 |
| All Other Cancers | 1 | 0 | 1 | 1 | 15 | 12 | 58 | 46 | 47 | 50 | 121 | 109 | 230 |
| All Cancers | 2 | 1 | 8 | 9 | 123 | 124 | 562 | 471 | 385 | 348 | 1080 | 953 | 2033 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2014 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 31 | 10 | 30 | 12 | 65 | 23 | 88 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 19 | 19 |
| Brain | 1 | 0 | 2 | 1 | 8 | 6 | 19 | 13 | 5 | 4 | 34 | 24 | 59 |
| Breast | 0 | 0 | 0 | 2 | 0 | 28 | 0 | 58 | 0 | 37 | 0 | 126 | 126 |
| Cervix | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 6 | 6 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 10 | 72 | 46 | 48 | 54 | 138 | 111 | 250 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 3 | 28 | 8 | 15 | 6 | 53 | 18 | 71 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 19 | 9 | 9 | 6 | 33 | 17 | 50 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 7 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 3 | 18 | 15 | 13 | 13 | 35 | 31 | 66 |
| Liver | 0 | 0 | 0 | 0 | 6 | 2 | 12 | 3 | 3 | 1 | 22 | 7 | 28 |
| Lung | 0 | 0 | 0 | 0 | 25 | 24 | 157 | 168 | 86 | 82 | 268 | 274 | 542 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 2 | 8 | 5 | 4 | 3 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 9 | 8 | 20 | 17 | 37 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 4 | 3 | 24 | 16 | 19 | 16 | 48 | 36 | 84 |
| Oral | 0 | 0 | 0 | 0 | 4 | 2 | 16 | 5 | 5 | 3 | 26 | 10 | 36 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 29 | 0 | 15 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 8 | 6 | 40 | 28 | 21 | 19 | 70 | 53 | 123 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 46 | 0 | 66 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 12 | 6 | 6 | 6 | 20 | 15 | 35 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 3 | 5 |
| All Other Cancers | 1 | 0 | 1 | 1 | 14 | 12 | 59 | 48 | 48 | 49 | 123 | 110 | 233 |
| All Cancers | 2 | 1 | 8 | 9 | 122 | 122 | 576 | 488 | 389 | 346 | 1097 | 966 | 2064 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2015 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 33 | 11 | 31 | 13 | 68 | 25 | 92 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 20 | 13 | 5 | 4 | 35 | 25 | 60 |
| Breast | 0 | 0 | 0 | 2 | 0 | 27 | 0 | 59 | 0 | 36 | 0 | 125 | 125 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 6 | 6 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 10 | 73 | 48 | 49 | 54 | 141 | 112 | 253 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 4 | 29 | 8 | 15 | 6 | 55 | 18 | 73 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 19 | 9 | 9 | 6 | 34 | 18 | 51 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 7 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 3 | 19 | 15 | 13 | 13 | 36 | 32 | 67 |
| Liver | 0 | 0 | 0 | 0 | 7 | 2 | 13 | 4 | 3 | 1 | 23 | 7 | 30 |
| Lung | 0 | 0 | 0 | 0 | 25 | 22 | 158 | 177 | 87 | 83 | 270 | 283 | 552 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 2 | 8 | 5 | 4 | 3 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 9 | 9 | 20 | 17 | 37 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 4 | 3 | 25 | 16 | 20 | 16 | 49 | 36 | 84 |
| Oral | 0 | 0 | 0 | 0 | 4 | 2 | 17 | 5 | 5 | 3 | 27 | 10 | 37 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 30 | 0 | 14 | 0 | 54 | 54 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 6 | 42 | 29 | 22 | 18 | 73 | 53 | 125 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 46 | 0 | 66 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 12 | 6 | 5 | 6 | 20 | 15 | 34 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 3 | 6 |
| All Other Cancers | 1 | 0 | 1 | 1 | 14 | 11 | 60 | 49 | 48 | 49 | 124 | 111 | 235 |
| All Cancers | 2 | 1 | 8 | 9 | 122 | 118 | 588 | 505 | 394 | 346 | 1114 | 980 | 2094 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2016 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 35 | 11 | 32 | 13 | 71 | 26 | 97 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 20 | 14 | 5 | 4 | 36 | 26 | 62 |
| Breast | 0 | 0 | 0 | 2 | 0 | 26 | 0 | 60 | 0 | 36 | 0 | 124 | 124 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 6 | 6 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 9 | 75 | 49 | 49 | 54 | 143 | 113 | 256 |
| Esophagus | 0 | 0 | 0 | 0 | 10 | 4 | 30 | 8 | 16 | 6 | 56 | 18 | 75 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 20 | 10 | 10 | 6 | 34 | 18 | 52 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 7 |
| Leukemia | 0 | 0 | 1 | 0 | 3 | 3 | 19 | 16 | 13 | 13 | 36 | 33 | 68 |
| Liver | 0 | 0 | 0 | 0 | 7 | 3 | 14 | 4 | 3 | 1 | 24 | 8 | 32 |
| Lung | 0 | 0 | 0 | 0 | 24 | 21 | 159 | 185 | 88 | 86 | 271 | 292 | 563 |
| Melanoma | 0 | 0 | 1 | 0 | 4 | 2 | 8 | 5 | 4 | 3 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 9 | 9 | 20 | 17 | 37 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 4 | 2 | 25 | 17 | 20 | 16 | 49 | 36 | 85 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 18 | 6 | 5 | 3 | 27 | 10 | 38 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 30 | 0 | 14 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 6 | 44 | 29 | 22 | 18 | 75 | 53 | 128 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 47 | 0 | 65 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 11 | 6 | 5 | 6 | 19 | 14 | 34 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 3 | 6 |
| All Other Cancers | 1 | 0 | 1 | 1 | 14 | 11 | 61 | 50 | 49 | 50 | 126 | 112 | 237 |
| All Cancers | 2 | 1 | 8 | 9 | 120 | 115 | 601 | 521 | 400 | 348 | 1131 | 994 | 2125 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2017 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 37 | 12 | 34 | 13 | 75 | 27 | 102 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 21 | 15 | 5 | 4 | 37 | 26 | 64 |
| Breast | 0 | 0 | 0 | 2 | 0 | 26 | 0 | 61 | 0 | 35 | 0 | 124 | 124 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 6 | 6 |
| Colorectal | 0 | 0 | 1 | 1 | 17 | 9 | 77 | 51 | 50 | 53 | 146 | 114 | 260 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 4 | 31 | 9 | 16 | 6 | 58 | 19 | 77 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 21 | 10 | 10 | 6 | 35 | 18 | 54 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 7 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 2 | 19 | 17 | 13 | 14 | 36 | 34 | 70 |
| Liver | 0 | 0 | 0 | 0 | 8 | 3 | 15 | 4 | 4 | 1 | 26 | 8 | 35 |
| Lung | 0 | 0 | 0 | 0 | 23 | 20 | 162 | 194 | 90 | 88 | 274 | 302 | 576 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 8 | 5 | 4 | 3 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 10 | 9 | 21 | 17 | 38 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 4 | 2 | 26 | 17 | 20 | 17 | 50 | 36 | 86 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 19 | 6 | 5 | 3 | 28 | 10 | 39 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 31 | 0 | 14 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 46 | 30 | 23 | 18 | 78 | 53 | 131 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 48 | 0 | 64 | 0 | 114 | 0 | 114 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 11 | 6 | 5 | 6 | 19 | 14 | 33 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 3 | 6 |
| All Other Cancers | 0 | 0 | 1 | 1 | 13 | 11 | 62 | 51 | 50 | 50 | 127 | 113 | 240 |
| All Cancers | 2 | 1 | 8 | 9 | 119 | 112 | 619 | 542 | 405 | 349 | 1153 | 1012 | 2165 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2018 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 40 | 13 | 35 | 14 | 80 | 28 | 108 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 22 | 15 | 5 | 5 | 38 | 27 | 65 |
| Breast | 0 | 0 | 0 | 2 | 0 | 25 | 0 | 62 | 0 | 34 | 0 | 123 | 123 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 6 | 6 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 9 | 79 | 52 | 50 | 54 | 148 | 115 | 263 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 4 | 31 | 9 | 17 | 6 | 59 | 19 | 79 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 22 | 11 | 10 | 6 | 36 | 19 | 55 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 6 | 1 | 7 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 2 | 20 | 18 | 13 | 14 | 36 | 35 | 71 |
| Liver | 0 | 0 | 0 | 0 | 8 | 3 | 16 | 4 | 4 | 1 | 28 | 9 | 37 |
| Lung | 0 | 0 | 0 | 0 | 22 | 19 | 163 | 204 | 91 | 90 | 276 | 313 | 589 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 8 | 5 | 4 | 3 | 17 | 11 | 28 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 10 | 9 | 21 | 17 | 38 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 3 | 2 | 26 | 18 | 21 | 17 | 51 | 37 | 87 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 20 | 6 | 5 | 3 | 29 | 10 | 40 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 32 | 0 | 14 | 0 | 55 | 55 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 48 | 31 | 23 | 18 | 80 | 53 | 134 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 64 | 0 | 115 | 0 | 115 |
| Stomach | 0 | 0 | 0 | 1 | 3 | 2 | 11 | 6 | 5 | 6 | 19 | 14 | 33 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 3 | 6 |
| All Other Cancers | 0 | 0 | 1 | 1 | 13 | 10 | 63 | 52 | 51 | 50 | 129 | 114 | 243 |
| All Cancers | 2 | 1 | 8 | 9 | 117 | 109 | 635 | 561 | 410 | 352 | 1172 | 1032 | 2204 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2019 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 42 | 14 | 37 | 14 | 84 | 30 | 114 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 23 | 16 | 6 | 5 | 39 | 28 | 67 |
| Breast | 0 | 0 | 0 | 2 | 0 | 24 | 0 | 63 | 0 | 34 | 0 | 123 | 123 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 8 | 81 | 53 | 51 | 54 | 150 | 117 | 267 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 5 | 32 | 9 | 18 | 6 | 61 | 20 | 81 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 22 | 11 | 10 | 6 | 37 | 19 | 57 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 5 | 1 | 6 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 2 | 20 | 19 | 13 | 14 | 36 | 36 | 72 |
| Liver | 0 | 0 | 0 | 0 | 8 | 4 | 17 | 5 | 4 | 1 | 30 | 10 | 39 |
| Lung | 0 | 0 | 0 | 0 | 21 | 18 | 164 | 213 | 93 | 93 | 278 | 324 | 602 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 9 | 5 | 4 | 3 | 17 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 7 | 10 | 9 | 21 | 17 | 38 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 3 | 2 | 26 | 18 | 21 | 17 | 51 | 37 | 88 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 21 | 6 | 6 | 3 | 30 | 11 | 41 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 33 | 0 | 14 | 0 | 56 | 56 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 50 | 31 | 24 | 17 | 83 | 54 | 137 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 64 | 0 | 115 | 0 | 115 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 11 | 6 | 4 | 6 | 18 | 14 | 32 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 3 | 6 |
| All Other Cancers | 0 | 0 | 1 | 1 | 13 | 10 | 64 | 53 | 52 | 51 | 131 | 115 | 246 |
| All Cancers | 2 | 1 | 8 | 9 | 116 | 106 | 647 | 578 | 419 | 356 | 1192 | 1050 | 2242 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2020 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 4 | 1 | 45 | 15 | 39 | 15 | 88 | 31 | 120 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 23 | 17 | 6 | 5 | 40 | 29 | 69 |
| Breast | 0 | 0 | 0 | 2 | 0 | 23 | 0 | 64 | 0 | 34 | 0 | 123 | 123 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 8 | 82 | 54 | 52 | 54 | 153 | 118 | 271 |
| Esophagus | 0 | 0 | 0 | 0 | 11 | 5 | 33 | 9 | 18 | 6 | 62 | 20 | 83 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 23 | 12 | 11 | 6 | 38 | 20 | 58 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 | 1 | 0 | 5 | 1 | 6 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 2 | 20 | 20 | 13 | 14 | 36 | 37 | 74 |
| Liver | 0 | 0 | 0 | 0 | 9 | 4 | 18 | 5 | 4 | 1 | 31 | 11 | 42 |
| Lung | 0 | 0 | 0 | 0 | 20 | 17 | 164 | 221 | 95 | 97 | 280 | 335 | 615 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 9 | 5 | 4 | 3 | 17 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 7 | 11 | 9 | 21 | 17 | 39 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 3 | 2 | 27 | 18 | 22 | 17 | 52 | 38 | 89 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 21 | 6 | 6 | 3 | 31 | 11 | 42 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 33 | 0 | 14 | 0 | 56 | 56 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 52 | 32 | 25 | 17 | 86 | 54 | 140 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 50 | 0 | 63 | 0 | 115 | 0 | 115 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 11 | 6 | 4 | 6 | 18 | 14 | 32 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 6 |
| All Other Cancers | 0 | 0 | 1 | 1 | 12 | 10 | 65 | 54 | 53 | 51 | 132 | 117 | 249 |
| All Cancers | 2 | 1 | 8 | 9 | 116 | 104 | 659 | 594 | 427 | 362 | 1213 | 1070 | 2283 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2021 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 5 | 1 | 48 | 16 | 41 | 16 | 93 | 33 | 126 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 24 | 17 | 6 | 5 | 41 | 29 | 70 |
| Breast | 0 | 0 | 0 | 2 | 0 | 23 | 0 | 64 | 0 | 34 | 0 | 122 | 122 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 8 | 83 | 55 | 53 | 55 | 155 | 120 | 275 |
| Esophagus | 0 | 0 | 0 | 0 | 12 | 5 | 33 | 9 | 19 | 6 | 64 | 21 | 85 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 24 | 12 | 11 | 6 | 39 | 20 | 60 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 5 | 1 | 6 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 3 | 20 | 20 | 13 | 15 | 37 | 39 | 75 |
| Liver | 0 | 0 | 0 | 0 | 10 | 5 | 19 | 5 | 4 | 1 | 33 | 12 | 45 |
| Lung | 0 | 0 | 0 | 0 | 20 | 16 | 164 | 229 | 97 | 102 | 281 | 347 | 629 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 9 | 5 | 4 | 3 | 16 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 7 | 11 | 10 | 22 | 18 | 40 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 3 | 2 | 27 | 18 | 23 | 18 | 52 | 38 | 91 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 22 | 6 | 6 | 3 | 32 | 11 | 43 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 34 | 0 | 14 | 0 | 57 | 57 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 54 | 32 | 26 | 17 | 88 | 54 | 143 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 50 | 0 | 64 | 0 | 116 | 0 | 116 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 11 | 5 | 4 | 6 | 17 | 14 | 31 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 7 |
| All Other Cancers | 0 | 0 | 1 | 1 | 12 | 9 | 65 | 55 | 55 | 53 | 134 | 118 | 253 |
| All Cancers | 2 | 1 | 8 | 9 | 115 | 103 | 669 | 608 | 440 | 372 | 1234 | 1092 | 2326 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2022 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 5 | 1 | 50 | 17 | 44 | 17 | 98 | 35 | 133 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 25 | 18 | 6 | 5 | 42 | 30 | 72 |
| Breast | 0 | 0 | 0 | 2 | 0 | 22 | 0 | 64 | 0 | 34 | 0 | 122 | 122 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 8 | 84 | 56 | 55 | 57 | 158 | 122 | 280 |
| Esophagus | 0 | 0 | 0 | 0 | 12 | 6 | 33 | 9 | 20 | 6 | 66 | 21 | 87 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 24 | 12 | 11 | 6 | 40 | 21 | 61 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 5 | 1 | 6 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 3 | 20 | 21 | 13 | 15 | 37 | 40 | 77 |
| Liver | 0 | 0 | 0 | 0 | 10 | 6 | 21 | 6 | 5 | 1 | 35 | 13 | 48 |
| Lung | 0 | 0 | 0 | 0 | 19 | 15 | 163 | 236 | 101 | 107 | 283 | 359 | 642 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 9 | 6 | 4 | 3 | 16 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 7 | 12 | 10 | 22 | 18 | 40 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 3 | 2 | 27 | 18 | 24 | 18 | 53 | 39 | 92 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 23 | 6 | 6 | 3 | 33 | 11 | 44 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 34 | 0 | 14 | 0 | 57 | 57 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 5 | 55 | 32 | 27 | 18 | 91 | 55 | 146 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 50 | 0 | 64 | 0 | 116 | 0 | 116 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 11 | 5 | 4 | 6 | 17 | 14 | 31 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 7 |
| All Other Cancers | 0 | 0 | 1 | 1 | 12 | 9 | 66 | 55 | 57 | 55 | 136 | 120 | 256 |
| All Cancers | 2 | 1 | 8 | 8 | 115 | 101 | 675 | 619 | 454 | 385 | 1255 | 1115 | 2370 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2023 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 5 | 1 | 52 | 18 | 47 | 18 | 104 | 37 | 140 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 25 | 18 | 7 | 5 | 43 | 31 | 74 |
| Breast | 0 | 0 | 0 | 2 | 0 | 22 | 0 | 64 | 0 | 35 | 0 | 122 | 122 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 8 | 85 | 57 | 57 | 59 | 160 | 124 | 284 |
| Esophagus | 0 | 0 | 0 | 0 | 12 | 6 | 34 | 9 | 21 | 7 | 67 | 22 | 89 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 25 | 13 | 12 | 7 | 41 | 22 | 63 |
| Larynx | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 5 | 1 | 6 |
| Leukemia | 0 | 0 | 1 | 1 | 3 | 3 | 20 | 22 | 13 | 16 | 37 | 41 | 78 |
| Liver | 0 | 0 | 0 | 0 | 11 | 7 | 22 | 6 | 5 | 1 | 38 | 14 | 51 |
| Lung | 0 | 0 | 0 | 0 | 18 | 15 | 162 | 243 | 105 | 114 | 285 | 372 | 657 |
| Melanoma | 0 | 0 | 1 | 0 | 3 | 2 | 8 | 5 | 4 | 3 | 16 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 0 | 0 | 1 | 1 | 8 | 7 | 12 | 11 | 23 | 19 | 41 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 2 | 2 | 27 | 18 | 25 | 19 | 54 | 39 | 94 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 24 | 6 | 6 | 3 | 34 | 11 | 45 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 34 | 0 | 15 | 0 | 57 | 57 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 4 | 57 | 32 | 28 | 18 | 94 | 55 | 149 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 50 | 0 | 65 | 0 | 117 | 0 | 117 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 10 | 5 | 4 | 6 | 16 | 14 | 30 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 7 |
| All Other Cancers | 0 | 0 | 1 | 1 | 12 | 9 | 65 | 56 | 60 | 57 | 138 | 122 | 260 |
| All Cancers | 2 | 1 | 9 | 8 | 114 | 100 | 681 | 629 | 474 | 401 | 1279 | 1140 | 2419 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)

Estimated Cancer Deaths for 2024 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|-----------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 5 | 1 | 54 | 18 | 50 | 19 | 109 | 39 | 148 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 26 | 19 | 7 | 6 | 44 | 31 | 75 |
| Breast | 0 | 0 | 0 | 2 | 0 | 21 | 0 | 63 | 0 | 36 | 0 | 122 | 122 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 2 | 1 | 17 | 7 | 85 | 57 | 59 | 61 | 163 | 127 | 289 |
| Esophagus | 0 | 0 | 0 | 0 | 12 | 6 | 34 | 9 | 23 | 7 | 69 | 23 | 92 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 25 | 13 | 12 | 7 | 42 | 22 | 64 |
| Larynx | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 0 | 4 | 1 | 5 |
| Leukemia | 0 | 0 | 1 | 1 | 2 | 3 | 20 | 23 | 14 | 17 | 37 | 43 | 80 |
| Liver | 0 | 0 | 0 | 0 | 11 | 8 | 23 | 6 | 6 | 2 | 40 | 15 | 55 |
| Lung | 0 | 0 | 0 | 0 | 18 | 14 | 160 | 250 | 109 | 122 | 287 | 385 | 672 |
| Melanoma | 0 | 0 | 0 | 0 | 3 | 2 | 8 | 5 | 5 | 3 | 16 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 1 | 0 | 1 | 1 | 8 | 6 | 13 | 11 | 23 | 19 | 42 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 2 | 1 | 26 | 18 | 26 | 20 | 55 | 40 | 95 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 25 | 6 | 7 | 3 | 35 | 11 | 46 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 34 | 0 | 15 | 0 | 58 | 58 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 4 | 58 | 32 | 30 | 18 | 97 | 55 | 152 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 67 | 0 | 118 | 0 | 118 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 10 | 5 | 4 | 6 | 16 | 14 | 30 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 7 |
| All Other Cancers | 0 | 0 | 1 | 1 | 11 | 9 | 65 | 56 | 62 | 59 | 140 | 125 | 265 |
| All Cancers | 2 | 1 | 9 | 8 | 113 | 99 | 685 | 638 | 494 | 420 | 1303 | 1167 | 2470 |

Population estimates are from PEOPLE 35 produced by BC Stats.
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



Estimated Cancer Deaths for 2025 by Age at Death and Gender

(Version_BC.CAN13)

Vancouver Island Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

| Cancer Type | 0-19 | | 20-39 | | 40-59 | | 60-79 | | 80+ | | All Ages | | Total |
|----------------------|----------|----------|----------|----------|------------|-----------|------------|------------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | |
| Bladder | 0 | 0 | 0 | 0 | 5 | 2 | 57 | 19 | 53 | 20 | 115 | 41 | 156 |
| Body of Uterus | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 0 | 6 | 0 | 18 | 18 |
| Brain | 1 | 1 | 2 | 1 | 8 | 6 | 26 | 19 | 7 | 6 | 45 | 32 | 77 |
| Breast | 0 | 0 | 0 | 2 | 0 | 20 | 0 | 63 | 0 | 36 | 0 | 121 | 121 |
| Cervix | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 5 | 5 |
| Colorectal | 0 | 0 | 3 | 1 | 17 | 7 | 85 | 57 | 61 | 63 | 165 | 129 | 294 |
| Esophagus | 0 | 0 | 0 | 0 | 13 | 7 | 34 | 9 | 24 | 7 | 71 | 23 | 94 |
| Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 3 |
| Kidney | 0 | 0 | 0 | 0 | 4 | 2 | 26 | 13 | 13 | 7 | 43 | 23 | 66 |
| Larynx | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 0 | 4 | 1 | 5 |
| Leukemia | 0 | 0 | 1 | 1 | 2 | 3 | 20 | 23 | 14 | 18 | 37 | 44 | 82 |
| Liver | 0 | 0 | 0 | 0 | 12 | 9 | 24 | 6 | 6 | 2 | 42 | 17 | 59 |
| Lung | 0 | 0 | 0 | 0 | 17 | 13 | 158 | 255 | 113 | 130 | 289 | 398 | 687 |
| Melanoma | 0 | 0 | 0 | 0 | 3 | 2 | 8 | 5 | 5 | 3 | 16 | 11 | 27 |
| Multiple Myeloma | 0 | 0 | 1 | 0 | 1 | 1 | 8 | 6 | 14 | 12 | 24 | 19 | 43 |
| Non-Hodgkin Lymphoma | 0 | 0 | 0 | 0 | 2 | 1 | 26 | 18 | 27 | 21 | 56 | 41 | 97 |
| Oral | 0 | 0 | 0 | 0 | 4 | 1 | 26 | 7 | 7 | 3 | 36 | 11 | 47 |
| Ovary | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 35 | 0 | 15 | 0 | 58 | 58 |
| Pancreas | 0 | 0 | 0 | 0 | 9 | 4 | 60 | 32 | 31 | 19 | 100 | 55 | 155 |
| Prostate | 0 | 0 | 0 | 0 | 2 | 0 | 49 | 0 | 68 | 0 | 118 | 0 | 118 |
| Stomach | 0 | 0 | 0 | 1 | 2 | 2 | 10 | 5 | 4 | 6 | 16 | 14 | 30 |
| Testis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Thyroid | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 4 | 7 |
| All Other Cancers | 0 | 0 | 1 | 1 | 11 | 9 | 65 | 56 | 65 | 62 | 142 | 127 | 269 |
| All Cancers | 2 | 1 | 9 | 8 | 113 | 99 | 688 | 646 | 514 | 439 | 1326 | 1193 | 2519 |

Population estimates are from PEOPLE 35 produced by BC Stats.
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)