



**BC Cancer Agency**

CARE + RESEARCH

*An agency of the Provincial Health Services Authority*

**Cancer Surveillance & Outcomes**

# **Cancer Incidence Projections**

**Interior Health Authority  
2010 to 2025**



## Estimated New Cancer Diagnoses for 2010 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	21	7	113	35	61	20	196	62	258
Body of Uterus	0	0	0	2	0	39	0	62	0	14	0	116	116
Brain	2	2	3	3	10	5	15	11	4	4	33	25	58
Breast	0	1	0	17	0	205	0	270	0	71	0	563	563
Cervix	0	0	0	7	0	12	0	8	0	3	0	29	29
Colorectal	0	0	2	2	45	40	184	118	67	68	298	228	526
Esophagus	0	0	0	0	8	2	23	7	7	4	38	13	51
Hodgkin Lymphoma	1	1	4	3	2	2	2	2	0	0	10	8	18
Kidney	1	0	1	1	15	8	36	19	10	7	63	35	98
Larynx	0	0	0	0	5	1	15	3	4	1	24	4	28
Leukemia	5	3	3	2	17	11	47	29	20	17	93	61	155
Liver	0	0	0	0	8	2	14	5	3	1	25	8	33
Lung	0	0	1	1	47	49	222	208	85	75	355	333	688
Melanoma	0	0	6	10	30	28	52	34	17	10	105	82	187
Multiple Myeloma	0	0	0	0	5	4	18	12	7	7	31	23	54
Non-Hodgkin Lymphoma	1	1	4	3	26	19	62	44	20	19	114	85	200
Oral	0	0	1	1	21	8	29	13	5	5	57	26	83
Ovary	0	0	0	2	0	17	0	24	0	10	0	53	53
Pancreas	0	0	0	0	11	7	35	26	15	18	61	52	113
Prostate	0	0	0	0	85	0	433	0	106	0	624	0	624
Stomach	0	0	0	0	10	5	29	11	12	8	51	24	75
Testis	1	0	11	0	6	0	1	0	0	0	19	0	19
Thyroid	0	0	3	9	6	20	6	12	1	2	16	43	59
All Other Cancers	3	2	5	4	34	29	99	84	51	60	192	180	372
<b>All Cancers</b>	<b>15</b>	<b>11</b>	<b>47</b>	<b>65</b>	<b>411</b>	<b>520</b>	<b>1437</b>	<b>1036</b>	<b>497</b>	<b>424</b>	<b>2407</b>	<b>2056</b>	<b>4463</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2011 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	21	7	117	37	66	21	206	66	272
Body of Uterus	0	0	0	2	0	40	0	65	0	14	0	121	121
Brain	2	2	3	3	10	5	15	12	4	4	33	25	58
Breast	0	1	0	17	0	205	0	280	0	73	0	575	575
Cervix	0	0	0	7	0	12	0	8	0	3	0	30	30
Colorectal	0	0	2	2	45	40	186	120	68	68	302	230	531
Esophagus	0	0	0	0	8	2	24	7	7	4	39	13	52
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	0	0	10	8	18
Kidney	1	0	1	1	15	8	37	20	11	8	64	36	101
Larynx	0	0	0	0	5	1	15	3	4	1	24	4	28
Leukemia	5	3	4	2	17	11	49	30	22	18	97	64	161
Liver	0	0	0	0	9	2	14	5	3	1	26	9	35
Lung	0	0	1	1	47	49	225	218	89	79	362	347	708
Melanoma	0	0	6	10	30	28	55	37	18	11	109	86	196
Multiple Myeloma	0	0	0	0	5	4	19	13	8	7	32	24	56
Non-Hodgkin Lymphoma	1	1	4	3	26	19	64	45	21	20	117	87	204
Oral	0	0	1	1	22	8	30	14	5	5	58	27	85
Ovary	0	0	0	2	0	16	0	25	0	10	0	53	53
Pancreas	0	0	0	0	12	7	36	27	16	19	63	53	116
Prostate	0	0	0	0	86	0	444	0	110	0	641	0	641
Stomach	0	0	0	0	10	5	29	11	12	8	51	24	75
Testis	1	0	12	0	6	0	1	0	0	0	20	0	20
Thyroid	0	0	3	9	6	22	7	13	2	2	18	47	65
All Other Cancers	3	2	5	4	34	29	100	86	53	61	195	183	378
<b>All Cancers</b>	<b>14</b>	<b>11</b>	<b>49</b>	<b>67</b>	<b>416</b>	<b>522</b>	<b>1470</b>	<b>1076</b>	<b>519</b>	<b>436</b>	<b>2468</b>	<b>2112</b>	<b>4579</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2012 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	22	7	122	40	72	22	217	69	286
Body of Uterus	0	0	0	2	0	41	0	68	0	15	0	126	126
Brain	2	2	3	3	10	5	15	12	4	3	34	25	59
Breast	0	1	0	18	0	204	0	289	0	75	0	586	586
Cervix	0	0	0	7	0	12	0	8	0	3	0	30	30
Colorectal	0	0	3	2	44	40	189	122	69	67	305	231	536
Esophagus	0	0	0	0	8	2	25	7	7	4	40	13	53
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	0	0	10	8	18
Kidney	1	0	1	1	15	8	38	21	11	8	66	37	103
Larynx	0	0	0	0	5	1	15	3	4	1	24	5	29
Leukemia	5	3	4	2	18	11	51	32	23	19	100	66	167
Liver	0	0	0	0	9	2	14	5	3	1	26	9	36
Lung	0	0	1	1	47	48	227	229	93	82	368	360	729
Melanoma	0	0	6	11	31	28	57	40	19	11	114	90	204
Multiple Myeloma	0	0	0	0	5	4	19	13	8	7	33	24	57
Non-Hodgkin Lymphoma	1	1	4	3	26	19	65	46	22	20	119	89	208
Oral	0	0	1	1	22	8	31	14	6	5	60	27	87
Ovary	0	0	0	2	0	16	0	25	0	10	0	53	53
Pancreas	0	0	0	0	12	7	37	27	16	19	65	53	118
Prostate	0	0	0	0	87	0	455	0	115	0	657	0	657
Stomach	0	0	0	0	10	5	29	10	12	8	51	24	76
Testis	1	0	12	0	6	0	1	0	0	0	21	0	21
Thyroid	0	0	3	10	7	24	8	15	2	2	19	51	71
All Other Cancers	3	2	5	4	34	29	102	89	55	62	199	186	385
<b>All Cancers</b>	<b>14</b>	<b>11</b>	<b>50</b>	<b>69</b>	<b>420</b>	<b>524</b>	<b>1503</b>	<b>1117</b>	<b>543</b>	<b>446</b>	<b>2529</b>	<b>2166</b>	<b>4696</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2013 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	22	7	128	43	76	23	228	73	301
Body of Uterus	0	0	0	2	0	42	0	72	0	16	0	131	131
Brain	2	2	3	3	10	5	15	12	4	3	34	26	59
Breast	0	1	0	18	0	204	0	299	0	76	0	598	598
Cervix	0	0	0	7	0	12	0	8	0	3	0	30	30
Colorectal	0	0	3	2	44	39	192	125	70	67	308	233	541
Esophagus	0	0	0	0	8	2	25	6	7	4	41	13	54
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	0	0	10	8	19
Kidney	1	0	1	1	15	8	39	21	12	8	68	38	106
Larynx	0	0	0	0	5	1	16	3	4	1	24	5	29
Leukemia	5	3	4	2	18	11	53	33	24	19	104	69	173
Liver	0	0	0	0	9	2	15	6	3	1	27	10	37
Lung	0	0	1	1	47	47	231	241	96	86	375	375	750
Melanoma	0	0	6	11	31	28	60	43	21	12	119	95	213
Multiple Myeloma	0	0	0	0	5	4	20	14	8	7	34	25	59
Non-Hodgkin Lymphoma	1	1	5	3	26	19	67	48	23	21	122	91	213
Oral	0	0	1	1	23	8	32	14	6	5	61	28	89
Ovary	0	0	0	2	0	16	0	25	0	10	0	53	53
Pancreas	0	0	0	0	13	7	38	27	17	19	68	53	121
Prostate	0	0	0	0	88	0	468	0	119	0	675	0	675
Stomach	0	0	0	0	10	5	29	10	12	8	51	24	76
Testis	1	0	13	0	6	0	1	0	0	0	21	0	21
Thyroid	0	1	3	11	7	26	8	17	3	2	21	56	77
All Other Cancers	3	2	5	4	33	29	104	91	57	63	202	190	392
<b>All Cancers</b>	<b>14</b>	<b>11</b>	<b>51</b>	<b>71</b>	<b>423</b>	<b>525</b>	<b>1545</b>	<b>1161</b>	<b>560</b>	<b>456</b>	<b>2594</b>	<b>2224</b>	<b>4817</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2014 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	22	6	134	45	81	24	239	77	316
Body of Uterus	0	0	0	2	0	42	0	75	0	16	0	136	136
Brain	2	2	3	3	10	5	15	13	4	3	34	26	60
Breast	0	1	0	18	0	203	0	310	0	78	0	609	609
Cervix	0	0	0	7	0	12	0	9	0	3	0	31	31
Colorectal	0	0	3	2	43	39	196	127	70	66	312	235	546
Esophagus	0	0	0	0	8	2	26	6	7	4	42	13	55
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	0	1	11	8	19
Kidney	1	0	1	1	15	8	40	22	12	8	69	39	109
Larynx	0	0	0	0	5	1	16	3	4	1	24	5	29
Leukemia	5	3	4	2	18	11	55	35	25	20	108	72	180
Liver	0	0	0	0	9	3	15	6	3	1	28	10	38
Lung	0	0	1	1	47	46	235	253	99	90	382	390	772
Melanoma	0	0	6	11	32	28	64	46	22	12	124	99	223
Multiple Myeloma	0	0	0	0	5	4	21	14	9	8	35	26	61
Non-Hodgkin Lymphoma	1	1	5	3	26	19	69	50	23	21	124	93	217
Oral	0	0	1	1	23	8	32	15	6	4	63	28	91
Ovary	0	0	0	2	0	15	0	25	0	10	0	53	53
Pancreas	0	0	0	0	13	7	39	28	17	19	70	54	124
Prostate	0	0	0	0	88	0	483	0	122	0	692	0	692
Stomach	0	0	0	0	10	5	30	10	12	8	51	24	76
Testis	1	0	13	0	6	0	1	0	0	0	22	0	22
Thyroid	0	1	4	11	7	28	9	19	3	2	24	61	85
All Other Cancers	3	2	5	4	33	29	107	94	58	64	205	193	398
<b>All Cancers</b>	<b>15</b>	<b>11</b>	<b>52</b>	<b>73</b>	<b>424</b>	<b>524</b>	<b>1590</b>	<b>1208</b>	<b>577</b>	<b>466</b>	<b>2658</b>	<b>2283</b>	<b>4941</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2015 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	22	6	140	49	87	26	250	82	332
Body of Uterus	0	0	0	2	0	43	0	79	0	17	0	141	141
Brain	2	2	3	3	10	5	15	13	4	3	34	26	60
Breast	0	1	0	19	0	201	0	321	0	80	0	620	620
Cervix	0	0	0	7	0	12	0	9	0	3	0	31	31
Colorectal	0	0	3	2	42	38	199	130	70	66	314	236	550
Esophagus	0	0	0	0	8	2	27	6	7	4	42	13	55
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	0	1	11	9	19
Kidney	1	0	1	1	15	8	42	23	12	9	71	41	112
Larynx	0	0	0	0	5	1	16	3	4	1	25	5	29
Leukemia	5	3	4	2	18	11	58	37	26	21	112	75	187
Liver	0	0	0	1	9	3	16	7	3	1	28	11	40
Lung	0	0	1	1	47	45	239	266	101	94	387	406	793
Melanoma	0	0	6	12	32	28	67	50	23	13	129	104	232
Multiple Myeloma	0	0	0	0	5	4	21	15	9	8	36	27	62
Non-Hodgkin Lymphoma	1	1	5	3	26	18	71	51	24	22	126	95	221
Oral	0	0	1	1	24	8	33	15	6	4	64	29	93
Ovary	0	0	0	2	0	15	0	26	0	10	0	53	53
Pancreas	0	0	0	0	14	7	40	28	18	19	72	54	126
Prostate	0	0	0	0	87	0	496	0	125	0	709	0	709
Stomach	0	0	0	0	10	5	30	10	11	8	51	24	76
Testis	1	0	14	0	6	0	1	0	0	0	23	0	23
Thyroid	0	1	4	12	8	30	10	21	4	2	26	66	92
All Other Cancers	3	2	5	4	33	28	109	96	59	65	208	196	404
<b>All Cancers</b>	<b>15</b>	<b>12</b>	<b>53</b>	<b>75</b>	<b>424</b>	<b>522</b>	<b>1633</b>	<b>1259</b>	<b>593</b>	<b>475</b>	<b>2719</b>	<b>2342</b>	<b>5061</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2016 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	1	1	22	6	147	52	92	27	263	86	349
Body of Uterus	0	0	0	2	0	43	0	83	0	17	0	146	146
Brain	2	2	3	3	9	5	15	14	4	3	34	27	61
Breast	0	1	0	19	0	199	0	331	0	81	0	631	631
Cervix	0	0	0	7	0	12	0	9	0	3	0	32	32
Colorectal	0	0	3	2	41	38	203	132	70	65	317	237	554
Esophagus	0	0	0	0	8	2	28	6	7	4	43	13	56
Hodgkin Lymphoma	1	1	4	3	2	2	3	2	1	1	11	9	19
Kidney	1	0	1	1	15	8	43	24	13	9	73	42	114
Larynx	0	0	0	0	4	1	16	3	4	1	25	5	30
Leukemia	6	3	4	2	19	11	60	39	27	22	116	77	194
Liver	0	0	0	1	10	3	16	7	3	1	29	12	41
Lung	0	0	1	1	46	44	242	280	104	97	393	422	815
Melanoma	0	0	6	12	33	28	70	54	24	14	134	109	242
Multiple Myeloma	0	0	0	0	5	4	22	16	9	8	37	27	64
Non-Hodgkin Lymphoma	1	1	5	3	26	18	72	53	24	22	128	97	225
Oral	0	0	1	1	24	8	34	16	6	4	65	29	94
Ovary	0	0	0	2	0	14	0	26	0	10	0	53	53
Pancreas	0	0	0	0	14	7	42	28	18	19	74	54	128
Prostate	0	0	0	0	86	0	510	0	129	0	725	0	725
Stomach	0	0	0	0	10	5	30	10	11	8	51	24	76
Testis	1	0	14	0	6	0	1	0	0	0	23	0	23
Thyroid	0	1	4	13	8	33	11	24	5	2	29	72	101
All Other Cancers	3	2	5	4	32	28	111	99	60	66	211	199	410
<b>All Cancers</b>	<b>15</b>	<b>12</b>	<b>55</b>	<b>77</b>	<b>421</b>	<b>519</b>	<b>1676</b>	<b>1309</b>	<b>613</b>	<b>485</b>	<b>2780</b>	<b>2401</b>	<b>5181</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2017 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	6	154	56	98	29	276	91	367
Body of Uterus	0	0	0	2	0	43	0	87	0	18	0	151	151
Brain	2	2	3	3	9	4	15	14	5	3	34	27	61
Breast	0	1	0	19	0	197	0	343	0	83	0	642	642
Cervix	0	0	0	8	0	12	0	10	0	3	0	32	32
Colorectal	0	0	3	2	40	37	207	135	70	65	320	239	559
Esophagus	0	0	0	0	9	2	29	6	7	4	44	13	57
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	11	9	20
Kidney	1	0	1	1	15	8	44	25	13	9	74	43	117
Larynx	0	0	0	0	4	1	16	3	4	1	25	5	30
Leukemia	6	3	4	2	19	12	63	41	28	22	120	81	201
Liver	0	0	0	1	10	3	17	7	3	1	30	12	42
Lung	0	0	1	1	45	42	247	295	107	102	400	440	839
Melanoma	0	0	6	12	33	28	74	59	26	14	139	114	253
Multiple Myeloma	0	0	0	0	5	4	23	16	9	8	38	28	66
Non-Hodgkin Lymphoma	1	1	5	3	25	18	74	55	25	22	131	99	230
Oral	0	0	1	1	24	8	35	16	6	4	66	29	96
Ovary	0	0	0	2	0	14	0	26	0	10	0	53	53
Pancreas	0	0	0	0	14	7	43	29	19	19	76	55	131
Prostate	0	0	0	0	85	0	524	0	132	0	742	0	742
Stomach	0	0	0	0	10	5	30	10	11	8	51	24	76
Testis	1	0	15	0	6	0	1	0	0	0	24	0	24
Thyroid	0	1	5	14	9	36	12	27	6	2	32	79	110
All Other Cancers	3	2	5	4	32	27	114	102	61	67	214	203	417
<b>All Cancers</b>	<b>15</b>	<b>12</b>	<b>56</b>	<b>78</b>	<b>419</b>	<b>515</b>	<b>1726</b>	<b>1366</b>	<b>631</b>	<b>495</b>	<b>2847</b>	<b>2466</b>	<b>5313</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2018 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	6	162	60	104	30	289	96	386
Body of Uterus	0	0	0	2	0	43	0	91	0	19	0	155	155
Brain	2	2	3	3	9	4	15	15	5	3	34	28	62
Breast	0	1	0	19	0	195	0	353	0	85	0	653	653
Cervix	0	0	0	8	0	12	0	10	0	3	0	32	32
Colorectal	0	0	3	2	39	36	211	138	71	64	324	240	564
Esophagus	0	0	0	0	9	2	30	6	7	4	45	13	58
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	11	9	20
Kidney	1	0	1	1	15	8	46	26	14	9	76	44	119
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	6	3	4	3	19	12	66	43	30	23	125	84	208
Liver	0	0	0	1	10	3	17	8	3	1	30	13	44
Lung	0	0	1	1	45	41	251	310	110	106	406	458	864
Melanoma	0	1	6	13	33	27	78	64	27	15	145	119	264
Multiple Myeloma	0	0	0	0	5	4	24	17	10	8	39	29	67
Non-Hodgkin Lymphoma	1	1	5	3	25	18	77	57	26	23	133	101	234
Oral	0	0	1	1	24	8	36	17	6	4	67	30	97
Ovary	0	0	0	2	0	13	0	27	0	10	0	52	52
Pancreas	0	0	0	0	15	7	45	29	19	19	79	55	134
Prostate	0	0	0	0	84	0	539	0	136	0	758	0	758
Stomach	0	0	0	0	10	5	30	10	11	8	52	24	76
Testis	1	0	15	0	7	0	1	0	0	0	25	0	25
Thyroid	0	1	5	14	9	38	14	30	7	3	35	86	121
All Other Cancers	3	2	5	4	31	27	117	105	62	68	218	206	424
<b>All Cancers</b>	<b>15</b>	<b>12</b>	<b>57</b>	<b>80</b>	<b>415</b>	<b>511</b>	<b>1778</b>	<b>1421</b>	<b>649</b>	<b>507</b>	<b>2915</b>	<b>2531</b>	<b>5446</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2019 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	6	169	64	111	32	303	102	405
Body of Uterus	0	0	0	2	0	43	0	95	0	20	0	160	160
Brain	2	2	3	3	9	4	15	15	5	3	34	28	62
Breast	0	1	0	19	0	193	0	363	0	87	0	663	663
Cervix	0	0	0	8	0	12	0	10	0	3	0	33	33
Colorectal	0	0	3	2	38	35	214	140	70	64	326	241	567
Esophagus	0	0	0	0	9	2	31	6	6	4	46	13	59
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	11	9	20
Kidney	1	0	1	1	15	8	47	26	14	9	77	45	122
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	6	3	4	3	19	12	69	45	31	24	129	87	216
Liver	0	0	0	1	10	3	18	8	3	1	31	14	45
Lung	0	0	1	1	44	40	254	324	112	111	411	476	887
Melanoma	0	1	6	13	33	27	81	69	29	16	150	125	275
Multiple Myeloma	0	0	0	0	5	4	24	17	10	9	39	30	69
Non-Hodgkin Lymphoma	1	1	5	3	25	17	78	58	26	23	135	103	238
Oral	0	0	1	1	25	8	37	17	6	4	68	30	99
Ovary	0	0	0	2	0	13	0	27	0	10	0	52	52
Pancreas	0	0	0	0	15	7	46	29	20	19	81	55	136
Prostate	0	0	0	0	83	0	552	0	139	0	774	0	774
Stomach	0	0	0	0	10	5	30	10	11	9	51	24	75
Testis	1	0	16	0	7	0	2	0	0	0	25	0	25
Thyroid	0	1	6	15	10	42	15	33	8	3	39	93	132
All Other Cancers	3	2	5	4	30	26	119	108	63	69	220	209	430
<b>All Cancers</b>	<b>15</b>	<b>12</b>	<b>58</b>	<b>82</b>	<b>414</b>	<b>509</b>	<b>1821</b>	<b>1472</b>	<b>668</b>	<b>521</b>	<b>2977</b>	<b>2596</b>	<b>5573</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2020 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	176	68	118	34	318	108	425
Body of Uterus	0	0	0	2	0	43	0	99	0	20	0	165	165
Brain	2	2	3	3	9	4	15	16	5	3	34	28	62
Breast	0	1	0	19	0	191	0	373	0	89	0	673	673
Cervix	0	0	0	8	0	12	0	11	0	3	0	33	33
Colorectal	0	0	3	2	37	35	218	142	71	64	328	242	571
Esophagus	0	0	0	0	9	2	32	6	6	4	47	13	59
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	11	9	20
Kidney	1	0	1	1	15	8	48	27	14	10	79	46	125
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	6	4	5	3	19	12	72	47	32	25	134	90	224
Liver	0	1	0	1	10	4	18	9	3	1	32	15	47
Lung	0	0	1	1	43	38	258	339	115	116	417	495	912
Melanoma	0	1	6	13	34	27	85	74	30	16	156	131	287
Multiple Myeloma	0	0	0	0	5	3	25	18	10	9	40	30	71
Non-Hodgkin Lymphoma	1	1	5	3	24	17	80	60	27	24	137	105	242
Oral	0	0	1	1	25	8	38	18	6	4	70	31	100
Ovary	0	0	0	2	0	13	0	27	0	10	0	52	52
Pancreas	0	0	0	0	16	7	47	30	20	19	83	55	139
Prostate	0	0	0	0	81	0	565	0	142	0	789	0	789
Stomach	0	0	0	0	10	5	30	10	11	9	51	24	75
Testis	1	0	16	0	7	0	2	0	0	0	26	0	26
Thyroid	0	1	6	16	11	45	16	37	10	3	43	102	145
All Other Cancers	3	2	5	4	30	26	121	111	64	70	223	213	436
<b>All Cancers</b>	<b>16</b>	<b>13</b>	<b>59</b>	<b>83</b>	<b>413</b>	<b>507</b>	<b>1867</b>	<b>1527</b>	<b>689</b>	<b>535</b>	<b>3044</b>	<b>2665</b>	<b>5709</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2021 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	184	72	125	36	332	114	446
Body of Uterus	0	0	0	2	0	44	0	103	0	21	0	170	170
Brain	2	2	3	3	9	4	15	16	5	3	34	29	63
Breast	0	1	0	20	0	190	0	381	0	92	0	684	684
Cervix	0	0	0	8	0	12	0	11	0	3	0	34	34
Colorectal	0	0	3	1	36	34	221	144	71	64	330	243	573
Esophagus	0	0	0	0	9	2	32	6	6	4	48	12	60
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	11	9	21
Kidney	1	0	1	1	15	8	50	28	15	10	81	47	127
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	6	4	5	3	19	12	75	49	33	26	138	93	232
Liver	0	1	0	1	10	4	19	9	3	1	32	16	48
Lung	0	0	0	1	43	37	261	353	118	123	422	514	935
Melanoma	0	1	6	14	34	27	89	79	32	17	162	138	299
Multiple Myeloma	0	0	0	0	5	3	25	18	10	9	41	31	72
Non-Hodgkin Lymphoma	1	1	5	3	24	17	82	61	27	25	139	107	246
Oral	0	0	1	1	25	8	39	18	5	4	71	31	102
Ovary	0	0	0	2	0	12	0	27	0	10	0	52	52
Pancreas	0	0	0	0	16	7	49	30	21	19	85	56	141
Prostate	0	0	0	0	81	0	578	0	146	0	805	0	805
Stomach	0	0	0	0	10	5	30	10	11	9	51	24	75
Testis	1	0	16	0	7	0	2	0	0	0	27	0	27
Thyroid	0	1	6	17	11	49	18	41	12	3	48	111	158
All Other Cancers	3	2	5	4	30	25	123	112	66	72	226	216	442
<b>All Cancers</b>	<b>16</b>	<b>13</b>	<b>60</b>	<b>85</b>	<b>412</b>	<b>506</b>	<b>1909</b>	<b>1575</b>	<b>712</b>	<b>554</b>	<b>3109</b>	<b>2734</b>	<b>5842</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2022 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	191	76	134	38	348	120	468
Body of Uterus	0	0	0	2	0	44	0	107	0	22	0	175	175
Brain	2	2	3	3	9	4	15	16	5	3	34	29	63
Breast	0	1	0	20	0	188	0	390	0	95	0	693	693
Cervix	0	0	0	8	0	12	0	11	0	3	0	34	34
Colorectal	0	0	3	1	35	33	223	145	71	64	332	243	575
Esophagus	0	0	0	0	9	2	33	6	6	4	48	12	61
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	12	9	21
Kidney	1	0	1	1	14	8	51	29	15	10	82	48	130
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	6	4	5	3	19	12	77	51	35	28	143	97	240
Liver	0	1	0	2	11	4	19	10	3	1	33	17	50
Lung	0	0	0	1	42	36	263	367	121	129	427	533	959
Melanoma	0	1	6	14	35	27	93	85	34	18	168	144	312
Multiple Myeloma	0	0	0	0	5	3	26	19	11	9	42	32	74
Non-Hodgkin Lymphoma	1	1	5	3	24	17	83	63	28	25	141	109	250
Oral	0	0	1	0	26	8	39	19	5	4	72	31	103
Ovary	0	0	0	2	0	12	0	27	0	11	0	51	51
Pancreas	0	0	0	0	17	7	50	30	21	19	88	56	143
Prostate	0	0	0	0	80	0	589	0	150	0	819	0	819
Stomach	0	0	0	0	10	5	30	9	10	9	51	24	75
Testis	1	0	17	0	7	0	2	0	0	0	27	0	27
Thyroid	0	1	7	18	12	53	19	45	15	3	53	120	174
All Other Cancers	3	2	5	4	29	25	125	114	67	74	228	219	448
<b>All Cancers</b>	<b>16</b>	<b>13</b>	<b>61</b>	<b>86</b>	<b>412</b>	<b>506</b>	<b>1947</b>	<b>1624</b>	<b>737</b>	<b>573</b>	<b>3172</b>	<b>2803</b>	<b>5975</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2023 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	198	80	143	41	364	127	491
Body of Uterus	0	0	0	2	0	44	0	111	0	24	0	181	181
Brain	2	2	3	3	9	3	15	17	5	3	34	29	63
Breast	0	1	0	20	0	187	0	397	0	99	0	703	703
Cervix	0	0	0	8	0	12	0	11	0	4	0	34	34
Colorectal	0	0	3	1	35	33	225	146	71	64	334	244	578
Esophagus	0	0	0	0	9	2	34	6	6	4	49	12	61
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	12	9	21
Kidney	1	0	1	1	14	8	52	29	16	11	84	49	132
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	7	4	5	3	19	12	80	53	37	29	148	100	248
Liver	0	1	0	2	11	4	20	10	3	1	34	18	51
Lung	0	0	0	1	42	35	264	380	125	137	432	552	984
Melanoma	0	1	6	14	35	27	96	90	36	19	174	151	325
Multiple Myeloma	0	0	0	0	5	3	27	19	11	10	43	33	76
Non-Hodgkin Lymphoma	1	1	5	3	24	17	85	64	29	26	143	111	254
Oral	0	0	1	0	26	8	40	19	6	4	73	32	104
Ovary	0	0	0	2	0	11	0	27	0	11	0	51	51
Pancreas	0	0	0	0	17	7	51	30	22	19	90	56	146
Prostate	0	0	0	0	78	0	599	0	155	0	833	0	833
Stomach	0	0	0	0	10	5	30	9	10	9	51	24	74
Testis	1	0	17	0	7	0	2	0	0	0	28	0	28
Thyroid	0	1	7	18	13	58	21	50	18	4	59	131	191
All Other Cancers	3	2	5	4	29	24	126	116	69	76	231	223	454
<b>All Cancers</b>	<b>17</b>	<b>14</b>	<b>62</b>	<b>88</b>	<b>410</b>	<b>507</b>	<b>1984</b>	<b>1671</b>	<b>767</b>	<b>596</b>	<b>3240</b>	<b>2875</b>	<b>6115</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2024 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	204	84	153	44	381	134	515
Body of Uterus	0	0	0	2	0	44	0	114	0	25	0	186	186
Brain	2	2	3	3	9	3	15	17	5	3	34	30	64
Breast	0	1	0	20	0	187	0	404	0	102	0	713	713
Cervix	0	0	0	8	0	12	0	11	0	4	0	35	35
Colorectal	0	0	3	1	34	32	226	146	72	65	335	244	579
Esophagus	0	0	0	0	9	2	34	6	6	4	50	12	62
Hodgkin Lymphoma	1	1	4	3	2	2	3	3	1	1	12	9	21
Kidney	1	0	1	1	14	8	53	30	16	11	85	50	135
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	7	4	5	3	20	12	83	55	38	31	152	104	256
Liver	0	1	0	2	11	4	20	11	3	1	34	19	53
Lung	0	0	0	1	41	34	265	393	129	145	436	572	1009
Melanoma	0	1	6	15	36	27	100	96	38	21	181	158	339
Multiple Myeloma	0	0	0	0	5	3	27	20	11	10	44	33	77
Non-Hodgkin Lymphoma	1	1	5	3	24	16	86	65	30	27	145	112	258
Oral	0	0	1	0	26	8	41	19	6	4	74	32	106
Ovary	0	0	0	1	0	11	0	27	0	11	0	51	51
Pancreas	0	0	0	0	18	7	52	30	23	20	92	56	148
Prostate	0	0	0	0	77	0	608	0	160	0	846	0	846
Stomach	0	0	0	0	10	5	30	9	10	9	50	24	74
Testis	1	0	17	0	8	0	2	0	0	0	29	0	29
Thyroid	0	1	8	19	14	63	23	56	22	4	67	143	210
All Other Cancers	3	2	5	4	28	24	127	118	70	78	234	226	460
<b>All Cancers</b>	<b>17</b>	<b>14</b>	<b>62</b>	<b>89</b>	<b>411</b>	<b>509</b>	<b>2015</b>	<b>1717</b>	<b>800</b>	<b>620</b>	<b>3305</b>	<b>2948</b>	<b>6254</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated New Cancer Diagnoses for 2025 by Age at Diagnosis and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and region were fit for each cancer type. Mean rates for 2008-2009 replaced projected rates for breast (female only) and prostate as extrapolation from recent trends was not feasible. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	2	1	22	5	211	88	163	47	398	141	539
Body of Uterus	0	0	0	2	0	44	0	117	0	26	0	191	191
Brain	2	3	3	3	9	3	15	17	5	3	34	30	64
Breast	0	1	0	20	0	187	0	409	0	106	0	722	722
Cervix	0	0	0	8	0	12	0	12	0	4	0	35	35
Colorectal	0	0	3	1	33	32	227	146	72	65	335	244	580
Esophagus	0	0	0	0	9	3	35	6	6	4	50	12	62
Hodgkin Lymphoma	1	1	4	3	2	2	4	3	1	1	12	10	21
Kidney	1	0	1	1	14	7	53	31	17	12	86	51	137
Larynx	0	0	0	0	4	1	17	3	4	1	25	5	30
Leukemia	7	4	5	3	20	12	85	57	40	32	157	108	265
Liver	0	1	0	2	11	5	20	11	3	1	35	20	55
Lung	0	0	0	1	41	33	266	406	133	153	440	592	1032
Melanoma	0	1	6	15	37	27	103	102	40	22	187	166	353
Multiple Myeloma	0	0	0	0	5	3	28	20	12	11	45	34	79
Non-Hodgkin Lymphoma	1	1	5	3	24	16	87	66	31	28	147	114	261
Oral	0	0	1	0	27	8	41	19	6	4	75	32	107
Ovary	0	0	0	1	0	11	0	27	0	11	0	50	50
Pancreas	0	0	0	0	18	7	53	29	24	20	94	56	150
Prostate	0	0	0	0	77	0	615	0	165	0	857	0	857
Stomach	0	0	0	0	10	5	29	9	10	9	50	24	74
Testis	1	0	18	0	8	0	2	0	0	0	29	0	29
Thyroid	0	1	9	20	15	69	25	61	26	4	75	156	230
All Other Cancers	3	2	5	4	28	24	128	119	72	81	236	229	465
<b>All Cancers</b>	<b>17</b>	<b>14</b>	<b>63</b>	<b>90</b>	<b>416</b>	<b>514</b>	<b>2043</b>	<b>1758</b>	<b>829</b>	<b>644</b>	<b>3368</b>	<b>3022</b>	<b>6390</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



**BC Cancer Agency**

CARE + RESEARCH

*An agency of the Provincial Health Services Authority*

**Cancer Surveillance & Outcomes**

# **Cancer Mortality Projections**

**Interior Health Authority  
2010 to 2025**



## Estimated Cancer Deaths for 2010 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	25	8	23	10	52	19	71
Body of Uterus	0	0	0	0	0	3	0	10	0	7	0	20	20
Brain	1	1	1	1	8	5	16	11	4	4	31	21	53
Breast	0	0	0	2	0	28	0	51	0	34	0	115	115
Cervix	0	0	0	1	0	3	0	2	0	1	0	7	7
Colorectal	0	0	1	1	16	10	66	41	42	47	125	99	223
Esophagus	0	0	0	0	8	2	25	7	11	6	45	15	60
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	1	1	2
Kidney	0	0	0	0	4	2	17	8	8	5	30	16	46
Larynx	0	0	0	0	1	0	5	1	1	0	7	1	8
Leukemia	1	0	1	0	3	2	18	12	12	11	34	26	61
Liver	0	0	0	0	4	1	7	2	2	1	12	3	15
Lung	0	0	0	0	31	30	172	156	83	73	287	259	545
Melanoma	0	0	1	0	6	3	11	7	6	5	23	15	39
Multiple Myeloma	0	0	0	0	2	1	9	6	7	6	17	14	30
Non-Hodgkin Lymphoma	0	0	0	0	5	3	22	14	15	13	42	30	73
Oral	0	0	0	0	4	1	12	4	4	3	20	9	28
Ovary	0	0	0	0	0	9	0	22	0	12	0	43	43
Pancreas	0	0	0	0	8	6	34	25	17	18	60	49	108
Prostate	0	0	0	0	3	0	51	0	70	0	124	0	124
Stomach	0	0	0	0	4	2	14	6	7	7	25	16	41
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	1	1	1	2	3	5
All Other Cancers	1	0	1	1	15	12	55	42	40	42	111	97	208
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>8</b>	<b>126</b>	<b>126</b>	<b>560</b>	<b>437</b>	<b>354</b>	<b>305</b>	<b>1049</b>	<b>877</b>	<b>1925</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2011 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	26	8	25	10	55	20	75
Body of Uterus	0	0	0	0	0	3	0	11	0	8	0	22	22
Brain	1	1	1	1	8	5	17	11	4	4	32	22	54
Breast	0	0	0	2	0	28	0	51	0	34	0	115	115
Cervix	0	0	0	1	0	3	0	2	0	1	0	7	7
Colorectal	0	0	1	1	16	10	66	41	44	48	127	101	227
Esophagus	0	0	0	0	9	2	25	7	12	6	46	15	62
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	1	1	2
Kidney	0	0	0	0	4	2	18	8	9	6	31	16	47
Larynx	0	0	0	0	1	0	4	1	1	0	7	1	8
Leukemia	0	0	1	0	3	2	18	13	12	12	35	27	62
Liver	0	0	0	0	4	1	7	2	2	1	13	4	16
Lung	0	0	0	0	31	29	173	164	87	77	291	270	561
Melanoma	0	0	1	0	6	4	12	7	6	5	25	16	42
Multiple Myeloma	0	0	0	0	2	1	8	6	7	7	17	14	31
Non-Hodgkin Lymphoma	0	0	0	0	5	3	22	14	16	13	43	31	74
Oral	0	0	0	0	4	1	12	4	4	3	20	9	29
Ovary	0	0	0	0	0	9	0	22	0	12	0	43	43
Pancreas	0	0	0	0	8	6	35	26	18	18	62	49	111
Prostate	0	0	0	0	3	0	50	0	71	0	124	0	124
Stomach	0	0	0	0	3	2	13	6	7	7	24	16	40
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	1	1	1	2	3	5
All Other Cancers	1	0	1	1	14	11	55	43	41	43	113	99	211
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>8</b>	<b>126</b>	<b>124</b>	<b>565</b>	<b>450</b>	<b>368</b>	<b>315</b>	<b>1069</b>	<b>899</b>	<b>1968</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2012 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	27	9	27	11	58	21	79
Body of Uterus	0	0	0	0	0	3	0	12	0	8	0	23	23
Brain	1	1	2	1	8	6	17	12	5	4	33	23	55
Breast	0	0	0	2	0	27	0	52	0	34	0	115	115
Cervix	0	0	0	0	0	2	0	2	0	1	0	7	7
Colorectal	0	0	1	1	16	10	67	42	45	49	129	102	231
Esophagus	0	0	0	0	9	3	26	7	13	6	48	16	63
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	2
Kidney	0	0	0	0	4	2	18	9	9	6	32	17	49
Larynx	0	0	0	0	1	0	4	1	1	0	6	1	8
Leukemia	0	0	1	0	3	2	18	13	13	12	35	28	63
Liver	0	0	0	0	4	1	7	2	2	1	14	4	18
Lung	0	0	0	0	30	28	174	171	92	82	296	282	578
Melanoma	0	0	1	1	6	4	13	8	7	5	27	18	45
Multiple Myeloma	0	0	0	0	2	1	8	6	7	7	17	14	31
Non-Hodgkin Lymphoma	0	0	0	0	4	3	22	14	16	14	43	31	74
Oral	0	0	0	0	4	1	13	4	4	3	21	9	30
Ovary	0	0	0	0	0	8	0	23	0	12	0	43	43
Pancreas	0	0	0	0	8	6	36	26	19	18	64	49	113
Prostate	0	0	0	0	3	0	50	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	13	6	7	7	23	16	39
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	1	1	1	2	3	5
All Other Cancers	1	0	1	1	14	11	55	43	43	44	114	100	214
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>126</b>	<b>123</b>	<b>571</b>	<b>464</b>	<b>383</b>	<b>324</b>	<b>1090</b>	<b>921</b>	<b>2011</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2013 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	29	9	28	11	61	22	83
Body of Uterus	0	0	0	0	0	3	0	13	0	9	0	25	25
Brain	1	1	2	1	8	6	18	12	5	4	34	23	57
Breast	0	0	0	2	0	26	0	53	0	34	0	115	115
Cervix	0	0	0	0	0	2	0	2	0	1	0	6	6
Colorectal	0	0	1	1	16	10	68	43	46	50	131	103	235
Esophagus	0	0	0	0	9	3	26	7	13	6	49	16	65
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	19	9	9	6	33	17	50
Larynx	0	0	0	0	1	0	4	1	1	0	6	1	7
Leukemia	0	0	1	0	3	2	18	14	13	12	35	29	64
Liver	0	0	0	0	4	1	8	2	2	1	14	4	19
Lung	0	0	0	0	30	27	176	180	95	86	301	294	595
Melanoma	0	0	1	1	7	4	14	8	8	6	29	19	48
Multiple Myeloma	0	0	0	0	2	1	8	6	8	7	17	14	32
Non-Hodgkin Lymphoma	0	0	0	0	4	3	22	14	17	14	44	31	75
Oral	0	0	0	0	4	1	13	4	4	3	22	9	30
Ovary	0	0	0	0	0	8	0	23	0	12	0	44	44
Pancreas	0	0	0	0	8	6	38	26	20	18	66	50	115
Prostate	0	0	0	0	3	0	50	0	73	0	125	0	125
Stomach	0	0	0	1	3	2	13	6	6	7	23	16	39
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	2	1	1	2	3	5
All Other Cancers	1	0	1	1	14	11	56	44	44	45	116	102	217
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>126</b>	<b>121</b>	<b>581</b>	<b>480</b>	<b>394</b>	<b>334</b>	<b>1111</b>	<b>944</b>	<b>2055</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2014 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	31	10	30	12	64	23	87
Body of Uterus	0	0	0	0	0	3	0	14	0	9	0	27	27
Brain	1	1	2	1	8	6	19	13	5	4	34	24	58
Breast	0	0	0	2	0	26	0	53	0	34	0	115	115
Cervix	0	0	0	0	0	2	0	2	0	1	0	6	6
Colorectal	0	0	1	1	16	9	69	44	47	51	133	105	238
Esophagus	0	0	0	0	10	3	27	7	14	6	50	16	67
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	19	9	10	6	34	17	51
Larynx	0	0	0	0	1	0	4	1	1	0	6	1	7
Leukemia	0	0	1	0	3	2	18	14	13	13	35	30	65
Liver	0	0	0	0	5	1	8	2	2	1	15	5	20
Lung	0	0	0	0	29	26	178	189	98	91	306	307	613
Melanoma	0	0	1	1	7	4	15	9	8	6	31	20	52
Multiple Myeloma	0	0	0	0	2	1	8	6	8	7	18	14	32
Non-Hodgkin Lymphoma	0	0	0	0	4	2	22	15	17	15	44	32	76
Oral	0	0	0	0	4	1	14	5	4	3	22	9	31
Ovary	0	0	0	0	0	8	0	24	0	12	0	44	44
Pancreas	0	0	0	0	8	6	39	27	20	18	68	50	118
Prostate	0	0	0	0	2	0	50	0	73	0	125	0	125
Stomach	0	0	0	1	3	2	13	6	6	7	22	16	38
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	2	1	1	2	3	5
All Other Cancers	1	0	1	1	14	11	56	45	45	46	117	103	220
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>126</b>	<b>119</b>	<b>593</b>	<b>496</b>	<b>403</b>	<b>343</b>	<b>1131</b>	<b>968</b>	<b>2099</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2015 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	32	10	31	12	67	24	91
Body of Uterus	0	0	0	0	0	3	0	15	0	10	0	29	29
Brain	1	1	2	1	8	6	19	13	5	4	35	25	60
Breast	0	0	0	2	0	25	0	54	0	34	0	114	114
Cervix	0	0	0	0	0	2	0	2	0	1	0	6	6
Colorectal	0	0	1	1	16	9	70	45	48	51	135	106	241
Esophagus	0	0	0	0	10	3	27	8	15	6	52	17	68
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	20	10	10	6	34	18	52
Larynx	0	0	0	0	1	0	4	1	1	0	6	1	7
Leukemia	0	0	1	0	3	2	18	15	13	13	35	31	66
Liver	0	0	0	0	5	2	9	3	2	1	16	5	21
Lung	0	0	0	0	28	25	180	199	102	96	310	321	631
Melanoma	0	0	1	1	7	4	16	10	9	7	34	22	56
Multiple Myeloma	0	0	0	0	1	1	8	6	8	7	18	14	32
Non-Hodgkin Lymphoma	0	0	0	0	4	2	22	15	18	15	44	32	76
Oral	0	0	0	0	4	1	15	5	5	3	23	9	32
Ovary	0	0	0	0	0	8	0	24	0	12	0	44	44
Pancreas	0	0	0	0	8	5	40	27	21	18	70	50	120
Prostate	0	0	0	0	2	0	50	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	13	6	6	7	22	16	37
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	2	1	1	2	3	5
All Other Cancers	1	0	1	1	13	11	56	45	47	47	118	104	222
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>125</b>	<b>117</b>	<b>602</b>	<b>514</b>	<b>413</b>	<b>352</b>	<b>1150</b>	<b>993</b>	<b>2142</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2016 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	34	11	33	13	71	25	96
Body of Uterus	0	0	0	0	0	4	0	17	0	11	0	31	31
Brain	1	1	2	1	8	6	20	14	5	4	36	25	61
Breast	0	0	0	2	0	24	0	54	0	34	0	114	114
Cervix	0	0	0	0	0	2	0	2	0	1	0	6	6
Colorectal	0	0	1	1	16	9	71	46	48	52	137	108	244
Esophagus	0	0	0	0	10	3	27	8	15	6	53	17	70
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	20	10	10	6	35	18	54
Larynx	0	0	0	0	1	0	4	1	1	0	6	1	7
Leukemia	0	0	1	0	3	2	18	15	13	13	35	32	67
Liver	0	0	0	0	5	2	10	3	2	1	17	5	23
Lung	0	0	0	0	28	24	182	209	105	101	315	335	649
Melanoma	0	0	1	1	8	5	18	11	10	7	36	24	60
Multiple Myeloma	0	0	0	0	1	1	8	6	8	8	18	15	33
Non-Hodgkin Lymphoma	0	0	0	0	3	2	22	15	19	15	45	32	77
Oral	0	0	0	0	4	1	15	5	5	3	24	9	33
Ovary	0	0	0	0	0	8	0	24	0	12	0	45	45
Pancreas	0	0	0	0	8	5	42	27	22	18	72	50	122
Prostate	0	0	0	0	2	0	50	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	12	6	6	7	21	16	37
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	1	2	1	1	2	3	6
All Other Cancers	0	0	1	1	13	10	57	46	48	48	119	105	225
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>123</b>	<b>114</b>	<b>612</b>	<b>531</b>	<b>424</b>	<b>362</b>	<b>1169</b>	<b>1017</b>	<b>2187</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2017 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	36	12	34	14	74	27	101
Body of Uterus	0	0	0	0	0	4	0	18	0	11	0	33	33
Brain	1	1	2	1	8	5	21	14	5	5	37	26	63
Breast	0	0	0	2	0	23	0	55	0	34	0	113	113
Cervix	0	0	0	0	0	2	0	2	0	1	0	6	6
Colorectal	0	0	1	1	16	9	72	47	49	53	139	109	248
Esophagus	0	0	0	0	10	4	28	8	16	6	54	18	72
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	21	10	10	6	36	19	55
Larynx	0	0	0	0	1	0	4	1	1	0	5	1	7
Leukemia	0	0	1	0	3	2	18	16	13	14	35	33	68
Liver	0	0	0	0	5	2	10	3	3	1	18	6	24
Lung	0	0	0	0	27	23	185	221	109	106	320	350	670
Melanoma	0	0	1	1	8	5	19	12	10	8	39	25	64
Multiple Myeloma	0	0	0	0	1	1	8	6	9	8	18	15	33
Non-Hodgkin Lymphoma	0	0	0	0	3	2	23	15	19	16	45	33	78
Oral	0	0	0	0	4	1	16	5	5	3	24	9	33
Ovary	0	0	0	0	0	8	0	25	0	12	0	45	45
Pancreas	0	0	0	0	8	5	43	28	23	18	74	51	125
Prostate	0	0	0	0	2	0	51	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	12	6	5	7	21	16	36
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	3	6
All Other Cancers	0	0	1	1	13	10	58	47	49	49	121	107	228
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>8</b>	<b>122</b>	<b>111</b>	<b>626</b>	<b>553</b>	<b>434</b>	<b>372</b>	<b>1192</b>	<b>1045</b>	<b>2238</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2018 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	38	12	36	14	78	28	106
Body of Uterus	0	0	0	0	0	4	0	20	0	12	0	36	36
Brain	1	1	2	1	8	5	21	15	6	5	38	27	64
Breast	0	0	0	2	0	22	0	55	0	34	0	113	113
Cervix	0	0	0	0	0	2	0	2	0	1	0	5	5
Colorectal	0	0	1	1	16	8	73	48	50	54	141	111	252
Esophagus	0	0	0	0	10	4	29	8	16	6	55	18	73
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	22	11	11	6	37	19	56
Larynx	0	0	0	0	1	0	4	1	1	0	5	1	6
Leukemia	0	0	1	0	3	2	19	17	13	14	35	34	70
Liver	0	0	0	0	6	2	11	3	3	1	20	6	26
Lung	0	0	0	0	26	22	187	232	112	112	325	367	692
Melanoma	0	0	1	1	8	5	21	13	11	8	42	27	69
Multiple Myeloma	0	0	0	0	1	1	8	6	9	8	18	15	33
Non-Hodgkin Lymphoma	0	0	0	0	3	2	23	15	20	16	46	33	79
Oral	0	0	0	0	3	1	17	5	5	3	25	9	34
Ovary	0	0	0	0	0	7	0	25	0	12	0	45	45
Pancreas	0	0	0	0	8	5	45	28	23	18	77	51	128
Prostate	0	0	0	0	2	0	51	0	72	0	126	0	126
Stomach	0	0	0	1	3	2	12	6	5	7	20	15	36
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	3	6
All Other Cancers	0	0	1	1	12	10	58	48	50	50	122	108	230
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>120</b>	<b>109</b>	<b>641</b>	<b>573</b>	<b>444</b>	<b>383</b>	<b>1215</b>	<b>1074</b>	<b>2289</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2019 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	40	13	38	15	82	29	112
Body of Uterus	0	0	0	0	0	4	0	21	0	13	0	39	39
Brain	1	1	2	1	8	5	22	15	6	5	38	27	66
Breast	0	0	0	2	0	22	0	56	0	34	0	113	113
Cervix	0	0	0	0	0	2	0	2	0	1	0	5	5
Colorectal	0	0	2	1	16	8	74	49	51	55	143	112	255
Esophagus	0	0	0	0	10	4	29	8	17	6	57	18	75
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	22	11	11	7	38	20	58
Larynx	0	0	0	0	1	0	3	1	1	0	5	1	6
Leukemia	0	0	1	0	3	2	19	18	13	15	35	35	71
Liver	0	0	0	0	6	3	12	3	3	1	21	7	28
Lung	0	0	0	0	25	21	189	243	115	119	329	383	712
Melanoma	0	0	1	1	9	5	22	14	12	9	44	29	74
Multiple Myeloma	0	0	0	0	1	1	8	6	9	8	18	15	34
Non-Hodgkin Lymphoma	0	0	0	0	3	2	23	16	20	16	46	34	80
Oral	0	0	0	0	3	1	17	5	5	3	26	9	35
Ovary	0	0	0	0	0	7	0	26	0	12	0	45	45
Pancreas	0	0	0	0	8	5	46	29	24	18	79	51	130
Prostate	0	0	0	0	2	0	52	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	12	6	5	7	19	15	35
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	3	6
All Other Cancers	0	0	1	1	12	9	59	48	51	51	123	110	233
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>119</b>	<b>106</b>	<b>651</b>	<b>591</b>	<b>454</b>	<b>396</b>	<b>1235</b>	<b>1103</b>	<b>2338</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2020 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		
	M	F	M	F	M	F	M	F	M	F	M	F	Total
Bladder	0	0	0	0	4	1	42	14	40	16	86	31	117
Body of Uterus	0	0	0	0	0	4	0	23	0	14	0	41	41
Brain	1	1	2	1	8	5	23	16	6	5	39	28	67
Breast	0	0	0	2	0	21	0	56	0	34	0	112	112
Cervix	0	0	0	0	0	2	0	2	0	1	0	5	5
Colorectal	0	0	2	1	16	8	75	50	52	56	144	114	258
Esophagus	0	0	0	0	10	4	29	8	18	6	58	19	77
Hodgkin Lymphoma	0	0	0	0	0	0	1	0	0	0	2	1	3
Kidney	0	0	0	0	4	2	23	11	11	7	39	20	59
Larynx	0	0	0	0	1	0	3	1	1	0	5	1	6
Leukemia	0	0	1	0	3	2	19	18	13	15	35	37	72
Liver	0	0	0	0	6	3	13	3	3	1	22	7	29
Lung	0	0	0	0	24	20	191	255	119	126	334	400	734
Melanoma	0	0	2	1	9	5	24	15	13	10	48	31	79
Multiple Myeloma	0	0	0	0	1	1	7	6	10	9	19	15	34
Non-Hodgkin Lymphoma	0	0	0	0	3	2	23	16	21	17	47	34	81
Oral	0	0	0	0	3	1	18	5	5	3	27	9	36
Ovary	0	0	0	0	0	7	0	26	0	12	0	46	46
Pancreas	0	0	0	0	8	5	48	29	25	18	81	51	133
Prostate	0	0	0	0	2	0	52	0	72	0	125	0	125
Stomach	0	0	0	1	3	2	12	6	5	7	19	15	34
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	3	6
All Other Cancers	0	0	1	1	11	9	59	49	53	52	124	111	236
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>118</b>	<b>104</b>	<b>663</b>	<b>611</b>	<b>466</b>	<b>409</b>	<b>1257</b>	<b>1134</b>	<b>2392</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2021 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		
	M	F	M	F	M	F	M	F	M	F	M	F	Total
Bladder	0	0	0	0	4	1	44	15	42	17	90	33	123
Body of Uterus	0	0	0	0	0	4	0	25	0	15	0	45	45
Brain	1	1	2	1	8	5	23	16	6	5	40	28	69
Breast	0	0	0	2	0	20	0	56	0	34	0	112	112
Cervix	0	0	0	0	0	2	0	2	0	1	0	5	5
Colorectal	0	0	2	1	16	7	76	50	52	57	146	116	262
Esophagus	0	0	0	0	11	5	30	8	19	6	59	19	78
Hodgkin Lymphoma	0	0	0	0	0	0	1	1	0	0	2	1	3
Kidney	0	0	0	0	4	2	23	12	12	7	39	21	60
Larynx	0	0	0	0	1	0	3	1	1	0	5	1	6
Leukemia	0	0	1	0	3	2	19	19	13	16	35	38	73
Liver	0	0	0	0	7	4	13	4	3	1	23	8	31
Lung	0	0	0	0	23	19	192	265	123	134	338	418	756
Melanoma	0	0	2	1	10	6	26	16	14	11	51	34	84
Multiple Myeloma	0	0	0	0	1	1	7	6	10	9	19	16	35
Non-Hodgkin Lymphoma	0	0	0	0	2	2	23	16	21	17	47	35	82
Oral	0	0	0	0	3	1	19	5	5	3	27	9	37
Ovary	0	0	0	0	0	7	0	26	0	13	0	46	46
Pancreas	0	0	0	0	8	4	49	29	26	18	83	52	135
Prostate	0	0	0	0	2	0	52	0	71	0	125	0	125
Stomach	0	0	0	1	2	2	11	6	5	7	18	15	34
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	4	6
All Other Cancers	0	0	1	1	11	9	59	49	54	54	126	113	238
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>117</b>	<b>103</b>	<b>673</b>	<b>627</b>	<b>478</b>	<b>427</b>	<b>1278</b>	<b>1167</b>	<b>2445</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2022 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	4	1	46	15	44	17	95	34	129
Body of Uterus	0	0	0	0	0	4	0	27	0	17	0	48	48
Brain	1	1	2	1	8	5	24	17	6	5	41	29	70
Breast	0	0	0	2	0	20	0	56	0	34	0	111	111
Cervix	0	0	0	0	0	1	0	2	0	1	0	5	5
Colorectal	0	0	2	1	16	7	76	51	53	59	147	117	265
Esophagus	0	0	0	0	11	5	30	8	19	7	60	20	80
Hodgkin Lymphoma	0	0	0	0	0	0	1	1	1	0	2	1	3
Kidney	0	0	0	0	4	2	24	12	12	7	40	21	61
Larynx	0	0	0	0	1	0	3	1	1	0	5	1	5
Leukemia	0	0	1	0	2	2	19	20	13	16	35	39	74
Liver	0	0	0	0	7	4	14	4	3	1	24	9	33
Lung	0	0	0	0	23	18	192	276	127	143	342	436	778
Melanoma	0	0	2	1	10	6	28	18	15	12	54	36	90
Multiple Myeloma	0	0	0	0	1	1	7	5	10	10	19	16	35
Non-Hodgkin Lymphoma	0	0	0	0	2	1	23	16	22	18	47	35	83
Oral	0	0	0	0	3	1	19	5	5	3	28	9	37
Ovary	0	0	0	0	0	6	0	27	0	13	0	46	46
Pancreas	0	0	0	0	8	4	51	29	26	18	86	52	137
Prostate	0	0	0	0	2	0	51	0	71	0	124	0	124
Stomach	0	0	0	1	2	2	11	6	4	7	18	15	33
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	4	7
All Other Cancers	0	0	1	1	11	8	59	49	55	56	127	114	241
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>116</b>	<b>101</b>	<b>681</b>	<b>644</b>	<b>491</b>	<b>444</b>	<b>1299</b>	<b>1199</b>	<b>2499</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2023 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		
	M	F	M	F	M	F	M	F	M	F	M	F	Total
Bladder	0	0	0	0	4	1	49	16	46	19	99	36	136
Body of Uterus	0	0	0	0	0	4	0	29	0	18	0	51	51
Brain	1	1	2	1	8	5	24	17	7	6	42	30	71
Breast	0	0	0	2	0	19	0	56	0	35	0	111	111
Cervix	0	0	0	0	0	1	0	2	0	1	0	5	5
Colorectal	0	0	2	1	16	7	77	51	55	60	149	119	268
Esophagus	0	0	0	0	11	5	30	8	20	7	62	20	82
Hodgkin Lymphoma	0	0	0	0	0	0	1	1	1	0	2	1	3
Kidney	0	0	0	0	4	2	24	12	12	7	41	22	63
Larynx	0	0	0	0	0	0	3	1	1	0	4	1	5
Leukemia	0	0	1	1	2	2	19	20	13	17	35	40	75
Liver	0	0	0	0	7	4	15	4	4	1	26	10	35
Lung	0	0	0	0	22	17	193	286	132	153	347	456	802
Melanoma	0	0	2	1	10	6	30	19	16	13	58	39	97
Multiple Myeloma	0	0	0	0	1	1	7	5	11	10	19	16	36
Non-Hodgkin Lymphoma	0	0	0	0	2	1	23	16	23	19	48	36	84
Oral	0	0	0	0	3	1	20	5	6	3	29	9	38
Ovary	0	0	0	0	0	6	0	27	0	13	0	46	46
Pancreas	0	0	0	0	8	4	52	29	28	19	88	52	140
Prostate	0	0	0	0	2	0	51	0	72	0	124	0	124
Stomach	0	0	0	1	2	2	11	5	4	7	17	15	33
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	4	7
All Other Cancers	0	0	1	1	10	8	59	49	57	58	128	116	244
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>10</b>	<b>9</b>	<b>115</b>	<b>99</b>	<b>689</b>	<b>660</b>	<b>507</b>	<b>466</b>	<b>1323</b>	<b>1235</b>	<b>2558</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)

## Estimated Cancer Deaths for 2024 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	5	1	51	17	49	20	104	38	142
Body of Uterus	0	0	0	0	0	5	0	31	0	20	0	55	55
Brain	1	1	2	1	8	5	25	18	7	6	42	30	73
Breast	0	0	0	2	0	18	0	55	0	35	0	110	110
Cervix	0	0	0	0	0	1	0	2	0	1	0	4	4
Colorectal	0	0	2	1	16	7	77	51	56	62	151	121	272
Esophagus	0	0	0	0	11	6	30	8	21	7	63	21	84
Hodgkin Lymphoma	0	0	0	0	0	0	1	1	1	0	2	1	3
Kidney	0	0	0	0	4	2	25	13	13	8	42	22	64
Larynx	0	0	0	0	0	0	3	1	1	0	4	1	5
Leukemia	0	0	1	1	2	2	19	21	13	18	35	42	77
Liver	0	0	0	0	8	5	16	4	4	1	27	10	38
Lung	0	0	0	0	21	16	192	296	137	163	351	476	827
Melanoma	0	0	2	1	11	6	32	20	18	14	62	41	104
Multiple Myeloma	0	0	0	0	1	1	7	5	11	10	20	17	37
Non-Hodgkin Lymphoma	0	0	0	0	2	1	23	16	23	19	48	36	85
Oral	0	0	0	0	3	1	21	5	6	3	30	9	39
Ovary	0	0	0	0	0	6	0	27	0	13	0	46	46
Pancreas	0	0	0	0	8	4	53	29	29	19	90	52	142
Prostate	0	0	0	0	2	0	51	0	72	0	124	0	124
Stomach	0	0	0	1	2	2	11	5	4	7	17	15	32
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	4	7
All Other Cancers	0	0	1	1	10	8	59	49	59	60	129	118	247
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>10</b>	<b>9</b>	<b>115</b>	<b>98</b>	<b>695</b>	<b>675</b>	<b>525</b>	<b>487</b>	<b>1346</b>	<b>1271</b>	<b>2617</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
Analysis by: Cancer Surveillance and Outcomes (24AUG2011)



## Estimated Cancer Deaths for 2025 by Age at Death and Gender

(Version\_BC.CAN13)

### Interior Health Authority

Poisson regression models of the trend from 2000-2009 along with age, sex and health authority were fit for each cancer type. Projections were obtained by multiplying the projected rates by population projections obtained from BC STATS. Row and column totals were obtained prior to rounding.

Cancer Type	0-19		20-39		40-59		60-79		80+		All Ages		Total
	M	F	M	F	M	F	M	F	M	F	M	F	
Bladder	0	0	0	0	5	1	53	18	52	21	109	40	149
Body of Uterus	0	0	0	0	0	5	0	33	0	21	0	59	59
Brain	1	1	2	1	8	5	25	18	7	6	43	31	74
Breast	0	0	0	2	0	18	0	55	0	36	0	110	110
Cervix	0	0	0	0	0	1	0	2	0	1	0	4	4
Colorectal	0	0	2	1	16	6	77	51	57	64	152	123	275
Esophagus	0	0	0	0	12	6	30	8	22	7	64	21	86
Hodgkin Lymphoma	0	0	0	0	0	0	1	1	1	0	2	1	3
Kidney	0	0	0	0	4	2	25	13	13	8	42	23	65
Larynx	0	0	0	0	0	0	3	1	1	0	4	1	5
Leukemia	0	0	0	1	2	2	19	21	13	18	35	43	78
Liver	0	0	0	0	8	6	17	4	4	1	29	11	40
Lung	0	0	0	0	21	16	192	305	142	175	355	496	851
Melanoma	0	0	2	1	11	7	34	22	19	15	66	44	111
Multiple Myeloma	0	0	1	0	1	1	7	5	12	11	20	17	37
Non-Hodgkin Lymphoma	0	0	0	0	2	1	23	16	24	20	49	37	86
Oral	0	0	0	0	3	1	21	5	6	3	30	9	40
Ovary	0	0	0	0	0	6	0	27	0	13	0	47	47
Pancreas	0	0	0	0	8	4	54	29	30	19	92	52	144
Prostate	0	0	0	0	2	0	50	0	72	0	124	0	124
Stomach	0	0	0	1	2	2	10	5	4	7	16	15	32
Testis	0	0	0	0	0	0	0	0	0	0	1	0	1
Thyroid	0	0	0	0	0	0	2	2	1	1	3	4	7
All Other Cancers	0	0	1	1	10	8	58	49	60	62	130	119	250
<b>All Cancers</b>	<b>2</b>	<b>1</b>	<b>10</b>	<b>9</b>	<b>116</b>	<b>98</b>	<b>701</b>	<b>689</b>	<b>539</b>	<b>511</b>	<b>1367</b>	<b>1308</b>	<b>2676</b>

Population estimates are from PEOPLE 35 produced by BC Stats.  
 Analysis by: Cancer Surveillance and Outcomes (24AUG2011)