



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BCCA treatment protocols located at [www.bccancer.bc.ca](http://www.bccancer.bc.ca) and according to acceptable standards of care.

PROTOCOL CODE: GIPE

<b>DOCTOR'S ORDERS</b>		Ht _____ cm	Wt _____ kg	BSA _____ m <sup>2</sup>
<b>REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy &amp; Alert Form</b>				
<b>DATE:</b>	<b>To be given:</b>	<b>Cycle #:</b>		
Date of Previous Cycle: _____				
<input type="checkbox"/> Delay treatment _____ week(s) <input type="checkbox"/> <b>CBC &amp; Diff, Platelets, Creatinine</b> day of treatment May proceed with doses as written if within 96 hours <b>ANC greater than or equal to 1.5 x 10<sup>9</sup>/L, Platelets greater than or equal to 100 x 10<sup>9</sup>/L, Creatinine Clearance greater than or equal to 60 mL/minute (if using cisplatin)</b> Dose modification for: <input type="checkbox"/> <b>Hematology</b> <input type="checkbox"/> <b>Other Toxicity</b> _____ Proceed with treatment based on blood work from _____				
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm _____. <b>Ondansetron 8 mg PO</b> prior to treatment on Days 1-3 <b>Dexamethasone 8 mg or 12 mg (circle one) PO</b> prior to treatment on Days 1-3 <input type="checkbox"/> <b>Hydrocortisone 100 mg IV prn</b> <input type="checkbox"/> <b>Diphenhydramine 50 mg IV prn</b> <input type="checkbox"/> <b>Other:</b> _____				
<b>**Have Hypersensitivity Reaction Tray and Protocol Available**</b>				
CHEMOTHERAPY: <b>Cisplatin 25 mg/m<sup>2</sup>/day</b> x BSA = _____ mg <input type="checkbox"/> <b>Dose Modification:</b> _____% = _____ mg/m <sup>2</sup> /day x BSA = _____ mg IV in 100 to 250 mL NS over 20 to 30 minutes x <b>3 days</b> <b>OR</b> <b>Carboplatin AUC 5 x (GFR + 25) = _____ mg IV</b> in 250 mL D5W over 30 minutes <b>Day 1 only</b>  <b>Etoposide 100 mg/m<sup>2</sup>/day</b> x BSA = _____ mg <input type="checkbox"/> <b>Dose Modification:</b> _____ mg/m <sup>2</sup> /day x BSA = _____ mg IV in 500 mL (non-PVC bag) NS over <b>45 minutes x 3 days</b> (use non-PVC tubing)				
STANDING ORDER FOR ETOPOSIDE TOXICITY: <b>Hydrocortisone 100 mg IV prn / Diphenhydramine 50 mg IV prn</b>				
<input type="checkbox"/> Return in <b>three</b> or <b>four</b> (circle one) weeks for Doctor and Cycle _____. Book chemo x 3 days.				
<input type="checkbox"/> Last Cycle. Return in _____ week(s).				
<b>CBC &amp; Diff, Platelets, Creatinine</b> prior to each cycle If clinically indicated: <input type="checkbox"/> <b>Bilirubin</b> <input type="checkbox"/> <b>Other tests:</b>  <input type="checkbox"/> <b>Consults:</b>  <input type="checkbox"/> <b>See general orders sheet for additional requests.</b>				
DOCTOR'S SIGNATURE:			SIGNATURE:	
			UC:	