

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: BRAVDOC7

DOCTOR'S ORDERS Htcm Wtkg	BSAm²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form	
DATE: To be given: Cycle #:	
Date of Previous Cycle:	
Delay Treatment week(s)	
☐ CBC & Diff, Platelets day of treatment	
May proceed with doses as written if within 24 hours ANC greater than or equal to 1.5 x 10 ⁹ /L,	
Platelets <u>greater than or equal to</u> 90 x 10 ⁹ /L	
Dose modification for: Hematology Other Toxicity	
Proceed with treatment based on blood work from	
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm	
dexamethasone 8 mg PO 1 hour prior to DOCEtaxel treatment.	
Have Hypersensitivity Reaction Tray and Protocol Available	
CHEMOTHERAPY:	
DOCEtaxel (weekly) 36 mg/m² x BSA =mg Dose Modification: :% =mg/m² x BSA =mg IV in 100 to 250 mL (non-DEHP bag) NS over 1 hour. (Use non-DEHP tubing) Repeat dose as written x weeks.	
RETURN APPOINTMENT ORDERS	
Return inweeks for Doctor and Cycle Book chemo weekly x 6 weeks.	
Last Cycle. Return in weeks.	
CBC & Diff, Platelets prior to each treatment. Prior to Cycle 3: Bilirubin, ALT, GGT, Alk Phos If Clinically Indicated:	
DOCTOR'S SIGNATURE:	SIGNATURE:
	UC: