

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="https://www.bccancer.bc.ca/terms-of-use">www.bccancer.bc.ca/terms-of-use</a> and according to acceptable standards of care.

## PROTOCOL CODE: BRAVTCAP

Page 1 of 1

| DOCTOR'S ORDERS  | Ht   | cm        | Wt         | kg    | BSA | m²              |
|--|--|-----------|------------|-------|-----|-----------------|
| REMINDER: Please ensure drug   |  | s bleomy  | cin are do |       |     | gy & Alert Form |
| DATE:  | To be given:   |           |            | Cycle | #:  |                 |
| Date of Previous Cycle:  |  |           |            |       |     |                 |
| Delay treatment  |  |           |            |       |     |                 |
| CBC & Diff, Platelets day of treatment   |  |           |            |       |     |                 |
| May proceed with doses as written if within 96 hours ANC greater than or equal to 1.5 x 10 <sup>9</sup> /L, Platelets greater than or equal to 75 x 10 <sup>9</sup> /L, Creatinine Clearance greater than 50 mL/min. |  |           |            |       |     |                 |
| Dose modification for:   |  |           |            |       |     |                 |
| Proceed with treatment based on blood work from  |  |           |            |       |     |                 |
| PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm  Other:   |  |           |            |       |     |                 |
| **Have Hypersensitivity Reaction Tray and Protocol Available**   |  |           |            |       |     |                 |
| <b>TREATMENT:</b> trastuzumab 6 mg/kg x kg = mg IV in 250 mL NS over 30 minutes on Day 1   |  |           |            |       |     |                 |
| Pharmacy to select trastuzumab brand as per Provincial Systemic Therapy Policy III-190   |  |           |            |       |     |                 |
| Drug Brand (Phari  | Drug Brand (Pharmacist to complete. Please print.) Pharmacist Initial and Date |           |            |       |     |                 |
| trastuzumab  |  |           |            |       |     |                 |
| capecitabine 1000 mg/m² or 1250 mg/m² (circle one) x BSA x (%) =mg PO BID x 14 days on days 1 to 14. (refer to Capecitabine Suggested Tablet Combination Table for dose rounding)                                    |  |           |            |       |     |                 |
| acetaminophen 325 mg to 650 mg PO PRN for headache and rigors  |  |           |            |       |     |                 |
| RETURN APPOINTMENT ORDERS  |  |           |            |       |     |                 |
| Return in three weeks for De   | octor and Cycle  | <u></u> . |            |       |     |                 |
| Last Cycle. Return in  | weeks.   |           |            |       |     |                 |
| CBC & Diff, Platelets, Creatinine prior to each cycle  |  |           |            |       |     |                 |
| ☐ INR Weekly ☐ INR prior to each cycle   |  |           |            |       |     |                 |
| If clinically indicated: ☐ <b>Tot. Prot</b> ☐ <b>Albumin</b> ☐ <b>Bilirubin</b> ☐ <b>GGT</b>   |  |           |            |       |     |                 |
| □Alk Phos □LDH □ALT □ BUN □ CA 15-3  |  |           |            |       | 3   |                 |
| ☐ Other tests: ☐ ECG ☐ Echocardiogram ☐ MUGA Scan  |  |           |            |       |     |                 |
| ☐ Weekly nursing assessment  |  |           |            |       |     |                 |
|  |  |           |            |       |     |                 |
| Consults:  |  |           |            |       |     |                 |
| See general orders sheet for additional requests.  |  |           |            |       |     |                 |
| DOCTOR'S SIGNATURE:  |  |           |            |       | SI  | GNATURE:        |
|  |  |           |            |       | U   | ):              |