

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GIGAVENH

DOCTOR'S ORDERS Htcm Wtkg B	SAm²
REMINDER: Please ensure drug allergies and previous bleomycin are documented or	the Allergy & Alert Form
DATE: To be given: Cycle :	‡ :
Date of Previous Cycle:	
☐ Delay treatment week(s) ☐ CBC & Diff day of treatment	
May proceed with doses as written if within 96 hours ANC greater than or equal to 1.0 x 10 ⁹ /L and platelets greater than or equal to 75 x 10 ⁹ /L	
Dose modification for: Hematology Other Toxicity Proceed with treatment based on blood work from	-
Proceed with treatment based on blood work from	
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm	·
dexamethasone ☐ 8 mg or ☐ 12 mg (select one) PO 30 to 60 minutes prior to treatment	
AND select ondansetron 8 mg PO 30 to 60 minutes prior to treatment	
ONE of the following: aprepitant 125 mg PO 30 to 60 minutes prior to treatment, and	
ondansetron 8 mg PO 30 to 60 minutes prior to treatment	
netupitant-palonosetron 300 mg-0.5 mg PO 30 to 60 minutes prior to	treatment
If additional antiemetic required:	
☐ OLANZapine ☐ 2.5 mg or ☐ 5 mg or ☐ 10 mg (select one) PO 30 to 60 minutes prior	to treatment
☐ Other:	
Have Hypersensitivity Reaction Tray and Protocol Available	
TREATMENT: All lines to be primed with D5W	
trastuzumab deruxtecan (ENHERTU) 6.4 mg/kg xkg =mg	
☐ Dose Modification: mg/kg xkg = mg	
IV in 100 mL D5W (use 0.2 micron in-line filter) over 1 h 30 min. Observe for 1 hour 30 minutes post infusion. If no infusion reaction observed in Cycle 1, may administer subsequent cycles over 30 minutes, observe for 30 minutes post-infusion. Observation period not required after 3 treatments with no reaction.	
RETURN APPOINTMENT ORDERS	
Return in three weeks for Doctor and Cycle	
Last Cycle. Return in weeks.	
CBC & Diff, creatinine, total bilirubin, ALT prior to each cycle	
If clinically indicated:	
☐ alkaline phosphatase ☐ CEA ☐ CA 19-9 ☐ sodium ☐ potassium	
☐ magnesium ☐ calcium ☐ albumin ☐ phosphate	
☐ Echocardiogram every 12 weeks or ☐ MUGA scan every 12 weeks	
☐ serum HCG or ☐ urine HCG	
☐ Other Tests	
Consults:	
See general orders sheet for additional requests.	
DOCTOR'S SIGNATURE:	SIGNATURE:
	UC: