

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="https://www.bccancer.bc.ca">www.bccancer.bc.ca</a> and according to acceptable standards of care

PROTOCOL CODE: GIGAVFFOX

Page 1 of 2

DOCTOR'S ORDERS	Ht	cm W	/tko	g BSA	m²	
REMINDER: Please ensure drug aller	gies and previous	bleomycin	are documen	ted on	the Allergy & Alert For	m
DATE:	To be given:		C	ycle(s)	#:	
Date of Previous Cycle:						
☐ Delay treatment week(s)						
☐ CBC & Diff day of treatment						
May proceed with doses as written if within 72 hours <b>ANC</b> <u>greater than or equal to</u> 1.2 x 10 <sup>9</sup> /L, platelets <u>greater than</u> <u>or equal to</u> 75 x 10 <sup>9</sup> /L						
Dose modification for:  Hematology Other Toxicity  Proceed with treatment based on blood work from						
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm						
ondansetron 8 mg PO prior to treatment						
<b>dexamethasone</b>						
For prior oxaliplatin hypersensitivity reactions (Grade 1 or 2): 45 minutes prior to oxaliplatin: dexamethasone 20 mg IV in 50 mL NS over 15 minutes 30 minutes prior to oxaliplatin: diphenhydrAMINE 50 mg IV in NS 50 mL over 15 minutes and famotidine 20 mg IV in NS 100 mL over 15 minutes (Y-site compatible)						
NO ice chips						
☐ Other:						
** Have Hypersensitivity Reaction Tray & Protocol Available**						
TREATMENT: (Note – continued over 2 pages)  ☐ Repeat in two weeks ☐ Repeat in two and in four weeks						
All lines to be primed with D5W						
oxaliplatin 85 mg/m² x BSA =mg						
☐ Dose Modification:mg/m² x BSA =mg						
IV in 250 to 500 mL D5W over 2 hours*						
leucovorin (select one if fluorouracil IV push ordered; optional if fluorouracil IV push omitted)						
☐ leucovorin 400 mg/m² x BSA = mg IV in 250 mL D5W over 2 hours*  *oxaliplatin and leucovorin may be infused over same two hour period by using a Y-site connector placed immediately before the injection site						
OR						
leucovorin 20 mg/m² x BSA = mg IV push						
*** CONTINUED ON PAGE 2 ***						
DOCTOR'S SIGNATURE:					SIGNATURE:	
					UC:	

Created: 1 Jan 2019 Revised: 1 Feb 2025 (Premedications updated, leucovorin and fluorouracil IV push optional)



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="https://www.bccancer.bc.ca">www.bccancer.bc.ca</a> and according to acceptable standards of care

PROTOCOL CODE: GIGAVFFOX

Page 2 of 2

DATE:						
TREATMENT: (Continued)						
flourouracil						
IV push (optional)						
☐ fluorouracil 400 mg/m² x BSA = mg ☐ Dose Modification:mg/m² x BSA =mg IV push <b>THEN</b>						
Infusion (required)						
fluorouracil 2400 mg/m² x BSA = mg**  Dose Modification: mg/m² x BSA = mg**  IV over 46 hours in D5W to a total volume of 230 mL by continuous infusion at 5 mL/h via Baxter LV5 INFUSOR  ** For 3000 to 5500 mg dose select INFUSOR per dose range below (doses outside dose banding range are prepared as ordered):						
Dose Banding Range	Dose Band INFUSOR (mg)	Pharmacist Init	ial and Date			
Less than 3000 mg	Pharmacy to mix specific dose					
3000 to 3400 mg	3200 mg					
3401 to 3800 mg 3801 to 4200 mg	3600 mg 4000 mg					
4201 to 4600 mg	4400 mg					
4601 to 5000 mg	4800 mg					
5001 to 5500 mg	5250 mg					
Greater than 5500 mg	Pharmacy to mix specific dose					
RETURN APPOINTMENT ORDERS						
Return in <u>two</u> weeks for Doctor Return in <u>four</u> weeks for Doctor Return in <u>six</u> weeks for Doctor Last Cycle. Return in						
CBC & Diff, creatinine, total bili						
If clinically indicated:  CEA CA 19-9 ECG  alkaline phosphatase a  INR weekly INR prior to e  Other tests:  Book for PICC assessment /  Book for IVAD insertion per  Weekly nursing assessment  Consults:  See general orders sheet for						
DOCTOR'S SIGNATURE:	SIGNATURE:					
			UC:			

Created: 1 Jan 2019 Revised: 1 Feb 2025 (Premedications updated, leucovorin and fluorouracil IV push optional)