

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="https://www.bccancer.bc.ca">www.bccancer.bc.ca</a> and according to acceptable standards of care

PROTOCOL CODE: GIRCAP

Page 1 of 1

CADOCTOR'S ORDERS	Ht	_cm	Wt	kg	BSA_	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form						
			Cycle #:			
Date of Previous Cycle:						
☐ Delay treatment week(s)						
☐ CBC & Diff, creatinine day of treatment						
May proceed with doses as written if within 96 hours <b>ANC</b> <u>greater than or equal to</u> 1.5 x 10 <sup>9</sup> /L, <u>platelets greater than</u> <u>or equal to</u> 75 x 10 <sup>9</sup> /L, and <u>creatinine clearance greater than</u> 50 mL/minute						
Dose modification for:						
Proceed with treatment based on blood work from						
		*				
TREATMENT:						
capecitabine ☐ 1000 or ☐ 1250 mg/m² (select one) x BSA x (%) =mg PO BID x 14 days.						
(refer to <u>Capecitabine Suggested Tablet Combination Table</u> for dose rounding)						
RETURN APPOINTMENT ORDERS						
☐ Return in three weeks for Doctor and oral ch☐ Last Cycle. Return in week(s)	emo Cycle					
CBC & Diff, creatinine, total bilirubin, ALT prior to each cycle						
If clinically indicated:						
□ CEA □ CA19-9 □ ECG						
☐ alkaline phosphatase ☐ albumin ☐ GGT ☐ sodium ☐ potassium						
☐ INR weekly ☐ INR prior to each cycle						
Other tests:						
☐ Weekly nursing assessment						
_ , ,						
Consults:						
See general orders sheet for additional red	quests.					
DOCTOR'S SIGNATURE:				SIGNA	TURES	):
				UC:		