

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <u>www.bccancer.bc.ca</u> and according to acceptable standards of care

PROTOCOL CODE: GUAJPEM

(Page 1 of 1)

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSA	m²
REMINDER: Please ensure drug alle	rgies and previou	s bleomyo	in are do	ocumented	on the	Allergy & Alert Form
DATE:	To be given:			Сус	le #:	
Date of Previous Cycle:						
Delay treatment week(s)						
May proceed with doses as written if within 96 hours ALT <u>less than or equal to</u> 3 times the upper limit of normal, <u>bilirubin less than or equal to</u> 1.5 times the upper limit of normal, creatinine <u>less than or equal to</u> 1.5 times the upper limit of normal and <u>less than or equal to</u> 1.5 times the baseline. Proceed with treatment based on blood work from						
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm For prior infusion reaction: Image:						
TREATMENT: Repeat in three	weeks					
pembrolizumab 2 mg/kg x kg = mg (Maximum dose = 200 mg) every 3 weeks IV in 50 mL NS over 30 minutes using a 0.2 micron in-line filter						
RETURN APPOINTMENT ORDERS						
☐ Return in <u>three weeks</u> for Doctor an ☐ Return in <u>six weeks</u> for Doctor and (cycles. ☐ Last cycle. Return in week(s	Cycles and	· I	Book trea	tment x 2		
CBC and diff, platelets, creatinine, al sodium, potassium, TSH prior to each		se, ALT, to	otal biliru	bin, LDH,		
serum HCG or urine HCG – req	morning seru 🗌 one 🔲 estradiol	m cortiso		_	cose	
See general orders sheet for add	itional requests.					
DOCTOR'S SIGNATURE:						SIGNATURE:
						UC: