

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <u>www.bccancer.bc.ca</u> and according to acceptable standards of care

## **PROTOCOL CODE: GUBAVE**

Page 1 of 1

			kg
REMINDER: Please ensure	e drug allergies and previous bleomy	in are documented on the Alle	rgy & Alert Form
DATE:	To be given:	Cycle #:	
Date of Previous Cycle:			
Delay treatment	week(s)		
<u>bilirubin less than or equa</u>	written if within 96 hours <b>ALT <u>less than (</u> l <u>to</u> 1.5 times the upper limit of normal <u>s than or equal to</u> 1.5 X baseline.</b>		
Proceed with treatment ba	sed on blood work from		
PREMEDICATIONS: Pat	ient to take own supply. RN/Pharmacist	to confirm	· .
For first 4 cycles: 30 minutes	prior to treatment		
diphenhydrAMINE 50 mg I	/ in 50 mL NS over 20 min and <b>acetami</b>	nophen 650 mg PO	
Then as indicated based on	provious reaction:		
	<b>1g</b> IV in 50 mL NS over 20 min (30 minut	tes prior to avelumab)	
_ · ·	PO 30 minutes prior to avelumab		
other:	•		
	**Have Hypersensitivity Reaction Tray	v & Protocol Available**	
TREATMENT: 🗌 Repea	at in two weeks		
avelumab 10 mg/kg x	kg = mg		
IV in 250 mL NS over 1 h	our using a 0.2 micron in-line filter		
	RETURN APPOINTMEN	T ORDERS	
Return in <u>two weeks</u> for I	Doctor and Cycle		
	Doctor and Cycles and	Book for 2 cycles.	
Last cycle. Return in		,	
	eatinine, alkaline phosphatase, ALT, to lucose prior to each treatment	otal bilirubin, LDH, sodium,	
	urine HCG – required for woman of ch	• •	
☐ Free T3 and free ☐ serum ACTH lev	e T4          lipase         morning serum cort rels            testosterone          estradiol	isol ∐ glucose (fasting) □ FSH □ LH	
☐ Seruin Actines			
Other consults:			
See general orders she	et for additional requests.		
			SIGNATURE.
DOCTOR'S SIGNATURE	i		SIGNATURE: