

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GUBGEMDOC

(Page 1 of 1)

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form						
DATE: To be given:	Inc	duction: W	eek#:	Maint	tenance: I	Month#
Date of Previous Cycle:						
☐ Delay treatment week(s) ☐ Omit treatment week(s) No routine labs tests required before each treatment						
** Have Spill Kit and Protocol Available**						
CHEMOTHERAPY: Induction (weekly for 6 doses): Instill: ☐ gemcitabine 1000 mg diluted with normal saline up to 45 mL for instillation into bladder via catheter. Clamp and dwell for 1 to 2 hours. Then drain bladder until flow stops (no need to irrigate) and instill: ☐ docetaxel 37.5 mg diluted with normal saline up to 45 mL for instillation into bladder via catheter. Clamp and dwell for 1 to 2 hours. Drain bladder and remove catheter. Maintenance (monthly for 10 doses): Instill: ☐ gemcitabine 1000 mg diluted with normal saline up to 45 mL for instillation into bladder via catheter. Clamp and dwell for 1 to 2 hours. Then drain bladder until flow stops (no need to irrigate) and instill: ☐ docetaxel 37.5 mg diluted with normal saline up to 45 mL for instillation into bladder via catheter. Clamp and dwell for 1 to 2 hours. Drain bladder and remove catheter.						
RETURN APPOINTMENT ORDERS						
 Notify urologist office to book flexible cystoscopy dose (approximately every 3 months) □ Book maintenance doses every four weeks x the end of induction therapy □ Last maintenance dose: notify urologist office the second second		_ treatments	•			
If clinically indicated:		•				
☐ CBC & Diff, Platelets☐ Sodium, Potassium, Urea, Creatinine☐ See general orders sheet for additional request	s.					
DOCTOR'S SIGNATURE:						NATURE:
					UC:	