

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: LUAVPCCEM

(Cycles 7+)

Page 1 of 1

DOCTOR'S ORDERS	
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form	
DATE: To be given: Cycle #(s):
Date of Previous Cycle:	
☐ Delay treatment week(s)	
May proceed with doses as written if within 96 hours ALT <u>less than or equal to</u> 3 times the upper limit of normal, total bilirubin <u>less than or equal to</u> 1.5 times the upper limit of normal, creatinine <u>less than or equal to</u> 1.5 times the upper limit of normal and <u>less than or equal to</u> 1.5 X baseline.	
Proceed with treatment based on blood work from	
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm For prior infusion reaction to cemiplimab: diphenhydrAMINE 50 mg PO 30 minutes prior to treatment acetaminophen 325 to 975 mg PO 30 minutes prior to treatment hydrocortisone 25 mg IV 30 minutes prior to treatment	·
TREATMENT: Repeat in three weeks cemiplimab 350 mg IV in 50 mL NS over 30 minutes using a 0.2 micron in-line filter	
RETURN APPOINTMENT ORDERS	
Return in three weeks for Doctor and Cycle #	
Return in six weeks for Doctor and Cycle #s and Book for 2 cycles.	
☐ Last cycle. Return in week(s)	
CBC & Diff, creatinine, alkaline phosphatase, ALT, total bilirubin, LDH, sodium, potassium, TSH prior to each treatment	
If clinically indicated: ☐ ECG ☐ Chest X-ray ☐ serum HCG or ☐ urine HCG – required for woman of child bearing potential ☐ free T3 and free T4 ☐ lipase ☐ morning serum cortisol ☐ serum ACTH levels ☐ testosterone ☐ estradiol ☐ FSH ☐ LH ☐ random glucose ☐ troponin ☐ creatine kinase	
 ☐ Weekly nursing assessment ☐ Other consults: ☐ See general orders sheet for additional requests. 	
DOCTOR'S SIGNATURE:	SIGNATURE:
	UC: