

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <u>www.bccancer.bc.ca</u> and according to acceptable standards of care

PROTOCOL CODE: LUAVPPIPNI

(Cycles 3 plus)

Page 1 of 1

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form						
DATE:	To be given:			Сус	:le #:	
Date of Previous Cycle:						
Delay treatment week(s)						
May proceed with doses as written if within 96 hours ALT <u>less than or equal to</u> 3 times the upper limit of normal, bilirubin <u>less than or equal to</u> 1.5 times the upper limit of normal, creatinine <u>less than or equal to</u> 1.5 times the upper limit of normal, creatinine <u>less than or equal to</u> 1.5 times the upper limit of normal and <u>less than or equal to</u> 1.5 X baseline.						
Proceed with treatment based on bloo	od work from					
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm For prior infusion reaction: diphenhydrAMINE 50 mg PO 30 minutes prior to treatment acetaminophen 325 to 975 mg PO 30 minutes prior to treatment hydrocortisone 25 mg IV 30 minutes prior to treatment						
TREATMENT: nivolumab 4.5 mg/kg xkg = mg (max. 360 mg) IV in 50 to 100 mL NS over 30 minutes using a 0.2 micron in-line filter* on Days 1 and 22						
ipilimumab 1 mg/kg xkg =mg IV in 25 to 100 mL NS over 30 minutes using a 0.2 micron in-line filter* on Day 1 only						
* Use separate infusion line and filter for each drug RETURN APPOINTMENT ORDERS						
Return in <u>six weeks</u> for Doctor and C						
Last cycle. Return in week(s)						
CBC and differential, platelets, creatin LDH, sodium, potassium, TSH, creatin	nine, alkaline phos				٦,	
 ☐ serum HCG or □ urine HC0 □ Free T3 and free T4 □ lipa 	ase	erum cor				
DOCTOR'S SIGNATURE:						SIGNATURE:
DUCTOR S SIGNATURE:						
						UC: