

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="www.bccancer.bc.ca">www.bccancer.bc.ca</a> and according to acceptable standards of care

PROTOCOL CODE: LUNETEV

DOCTOR'S ORDERS         Htcm         Wtkg	BSAm²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form One cycle = 4 weeks	
DATE: To be given: Cycle #	t:
Date of Previous Cycle:	
□ Delay treatment week(s) □ CBC & Diff, Platelets day of treatment May proceed with doses as written if within 96 hours ANC greater than or equal to 1.0 x 10 <sup>9</sup> /L, Platelets greater than or equal to 75 x 10 <sup>9</sup> /L  Proceed with treatment based on blood work from	
PREMEDICATIONS: Patient to take own supply.	
Dexamethasone mouthwash (see protocol). Start on Day 1 of everolimus treatment; continue for 8 weeks (2 cycles). May continue up to a maximum of 16 weeks (4 cycles) at the discretion of the treating oncologist.	
Treatment:	
everolimus 10 mg PO daily	
everolimus 5 mg PO daily (dose level -1)	
everolimus 5 mg PO every other day (dose level -2)	
Mitte: days (max: 30 days)	
RETURN APPOINTMENT ORDERS	
Return in weeks for Doctor and Cycle	
Last Cycle. Return in week(s).	
CBC & Diff, Platelets, Creatinine, Bili, ALT, Alk Phos, Sodium, Potassium, Glucose prior to each cycle	
If clinically indicated:	
DOCTOR'S SIGNATURE:	SIGNATURE:
	UC: