

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care.

PROTOCOL CODE: LYBRENTUX

DOCTOR'S ORDERS	V	Vt	_kg
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form			
DATE: To be given:	Cycle #:		
Date of Previous Cycle:			
☐ Delay treatment week(s) ☐ CBC & Diff and platelets day 1 of treatment			
Day 1: may proceed with doses as written, if within 96 hours ANC greater than or equal to $50 \times 10^9 / L$	qual to 0.6 x	: 10 ⁹ /L and PI	atelets
Dose modification for: Hematology Other Toxicity Proceed with treatment based on blood work from			
PREMEDICATIONS: Not routinely necessary.			
If required after Cycle 1 due to prior infusion reaction: diphenhydrAMINE 50 mg PO 30 minutes prior to brentuximab vedotin acetaminophen 650 mg to 975 mg PO 30 minutes prior to brentuximab vedotin			
☐ Other			
** Have Hypersensitivity Reaction Tray and Protocol Available**			
CHEMOTHERAPY:			
brentuximab vedotin 1.8 mg/kg x weight (kg) = mg (maximum dose 180 mg)			
☐ Dose Modification:% = mg/kg x weight (kg) = IV in 100 mL NS over 30 minutes on Day 1 .		_ mg	
NOTE: The dose for patients weighing greater than 100 kg should be calculated base	d on a weigh	nt of 100 kg.	
RETURN APPOINTMENT ORDERS			
Return in three weeks for Doctor and Cycle Book chemo on Day 1.			
Last Cycle. Return in week(s).			
CBC & Diff, platelets prior to Day 1 of each cycle			
☐ If clinically indicated: ☐ creatinine ☐ ALT ☐ bilirubin			
☐ Other tests:			
☐ Consults:			
☐ See general orders sheet for additional requests.			
DOCTOR"S SIGNATURE	SIGNATU	RE	
	uc:		