

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LUPUPE

Page 1 of 1

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSA	m²
REMINDER: Please ensure drug alle	rgies and pre	vious bleo	mycin	are docume	nted on th	ne Allergy & Alert Form
DATE:	To be giver		•		Cycle #:	
Date of Previous Cycle:						
□ Delay treatment week(s) □ CBC & Diff day of treatment May proceed with doses as written if within 96 hours ANC greater than or equal to 1.5 x 10°/L, Platelets greater than or equal to 100 x 10°/L, Creatinine Clearance greater than or equal to 60 mL/minute (if using CISplatin)						
Dose modification for:						
PREMEDICATIONS: Patient to take	own supply.	RN/Pharma	cist to	confirm		
ondansetron 8 mg PO 30 to 60 minutes prior to treatment on Days 1 to 3 dexamethasone 8 mg or 12 mg (select one) PO 30 to 60 minutes prior to treatment on Days 1 to 3 aprepitant 125 mg PO 30 to 60 minutes prior to treatment on Day 1; then 80 mg PO daily on Day 2 and 3 If additional antiemetic required: OLANZapine 2.5 mg or 5 mg or 10 mg (select one) PO 30 to 60 minutes prior to treatment hydrocortisone 100 mg IV prior to etoposide diphenhydrAMINE 50 mg IV prior to etoposide Other:						
Have Hypersensitivity Reaction Tray and Protocol Available						
TREATMENT:						
CISplatin 25 mg/m²/day x BSA = mg Dose Modification: % = mg/m² x BSA = mg IV in 100 to 250 mL NS over 30 minutes x 3 days OR CARBOplatin AUC 5 x (GFR + 25) = mg IV in 100 to 250 mL NS over 30 minutes Day 1 only						
etoposide 100 mg/m²/day x BSA = mg Dose Modification: % = mg/m² x BSA = mg IV in 250 to 1000 mL (non-DEHP bag) NS over 45 minutes to 1 hour 30 minutes x 3 days (use non-DEHP tubing with 0.2 micron in-line filter)						
RETURN APPOINTMENT ORDERS						
☐ Return in ☐ three weeks or ☐ four Book chemo x 3 days. ☐ Last Cycle. Return in we		ct one) for E	octor a	and Cycle	-	
CBC & Diff, creatinine prior to each cylif clinically indicated: ☐ total bilirubin☐ Other tests: ☐ Consults: ☐ See general orders sheet for add	I	its.				
DOCTOR'S SIGNATURE:					SIGN	NATURE:
					UC:	