Compounded formulations for symptomatic management of mucositis

There are numerous magic mouthwash preparations. Most contain at least 3 ingredients. These may include an antibiotic to reduce bacterial flora around areas of mucosal breakdown, an antifungal to stop fungal growth, a local anesthetic/pain reliever, an antihistamine for local anesthetic effect, a steroid to reduce inflammation and an antacid to enhance coating of the ingredients in the mouth. Note that nystatin has not been shown to be effective in treating oral fungal infections associated with oral mucositis.

Most formulations are used every 4-6 hours prn with instructions to hold in the mouth for 1-2 minutes then spit out or swallow. Patients should be instructed not to eat or drink for 30 minutes after use.

Seattle Mouth Wash

Recipe:

Maalox 200 ml Lidocaine 2% Viscous 100 ml Diphenhydramine 12.5 mg/5ml elixir 200 ml (expiry date 6 months) Dosage Instructions: (shake well)
Adult: 15-30 ml q4h prn
Children: 2.5-5 ml (up to 10 ml)
may be swallowed, use caution if
giving food within 60 minutes

BC Cancer Agency Magic Mouth Wash

Recipe:

Diphenhydramine 12.5mg/5ml elixir 150 ml Nystatin 100,000 U/ml susp. 36 ml Hydrocortisone 100 mg/2ml inj vial 1 ml Sterile water for irrigation 313 ml (refrigerate, expiry date 30 days) Dosage Instructions: (shake well)
Adult: 15-30 ml swish and rinse
or swallow q3-4 h. prn

Pink Lady

Recipe:

2 parts Maalox/Diovol (200 ml) 1 part Viscous Lidocaine 2% (100 ml) (expiry date 30 days) Dosage Instructions: 15 ml q4h prn best 20 minutes prior to meals

Other medications for mucositis:

• Benzydamine (Tantum oral rinse) 15 ml held for at least 30 seconds then expelled qid prn (contains 10% ethanol so may sting or burn – may be avoided by diluting with equal parts of lukewarm water prior to use)

⁴ Magic Mouthwash. Pharmacist's Letter/Prescriber's Letter 2007;23(7):230703

⁵ Chan A, Ignoffo RJ. Survey of topical oral solutions for the treatment of chemo-induced oral mucositis. J.Oncol Pharm Practice 2005; 11:139-143.