

Statistics by Cancer Type - Cervix

General Summary

In 2018, an estimated 200 BC women will be newly diagnosed with cervical cancer and 50 will die of it. An estimated 70% of BC women who will be diagnosed with cervical cancer will be between the ages of 20-60 when they are diagnosed. One in 156 females is expected to develop cervical cancer during their lifetime and one in 490 females is expected to die of cervical cancer.

Number of New Cervix Cancer Cases Diagnosed in 2015

Age at Diagnosis	Total
0-19	0
20-39	50
40-59	80
60-79	35
80+	10
Total	185

Due to rounding, totals may not equal the sum of individual values

Number of Cervix Cancer Deaths in 2015

Age at Death	Total
0-19	0
20-39	5
40-59	15
60-79	15
80+	5
Total	45

Due to rounding, totals may not equal the sum of individual values

Incidence Rates (per 100,000 population) for Cervix Cancer Cases Diagnosed in 2015

Age at Diagnosis	Total
0-19	0.0
20-39	8.1
40-59	12.2
60-79	7.7
80+	10.5
Total	7.7

Mortality Rates (per 100,000 population) for Cervix Cancer Deaths in 2015

Age at Death	Total
0-19	0.0
20-39	0.8
40-59	2.5
60-79	3.4
80+	7.2
Total	2.0

Statistics by Cancer Type - Cervix

Estimated New Cervix Cancer Diagnoses in 2018 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	10	10	10	0	25
Fraser	0	20	30	15	5	70
Coastal	0	15	20	10	5	50
Island	0	10	15	10	5	40
Northern	0	5	5	5	0	15
BC	0	55	85	45	15	200

*Due to rounding and unknown health authority of residence at time of diagnosis for some cases, totals may not equal the sum of individual values

Estimated Cervix Cancer Deaths in 2018 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	5	5	5	0	10
Fraser	0	0	5	5	5	15
Coastal	0	0	5	0	5	15
Island	0	5	5	0	5	10
Northern	0	0	0	0	0	5
BC	0	5	20	20	10	55

*Due to rounding and unknown health authority of residence at time of death for some cases, totals may not equal the sum of individual values

1-, 3- and 5-year Observed Survival and Age-standardized Relative Survival for BC Adults (age 15-99) Diagnosed with Cervix Cancer

	Observed Survival Proportion %			Relative Survival Proportion %		
	1 Year	3 Year	5 Year	1 Year	3 Year	5 Year
Survival Proportion	90.5	79.1	74.7	89.1	77.2	72.5
95% Confidence Interval	88.1 - 92.4	75.9 - 81.9	71.3 - 77.7	86.2 - 91.5	73.3 - 80.6	68.1 - 76.6