

Statistics by Cancer Type - Non-Hodgkin Lymphoma

General Summary

In 2018, an estimated 1250 British Columbians will be newly diagnosed with Non-Hodgkin lymphoma and 360 will die of it. One in 44 females and one in 36 males is expected to develop Non-Hodgkin's lymphoma during their lifetime. One in 119 females and one in 89 males is expected to die of Non-Hodgkin's lymphoma.

Number of New Non-Hodgkin Lymphoma Cancer Cases Diagnosed in 2015

Age at Diagnosis	Males	Females	Total
0-19	10	0	10
20-39	25	25	50
40-59	145	120	260
60-79	320	255	580
80+	120	105	225
Total	630	505	1130

Due to rounding, totals may not equal the sum of individual values

Number of Non-Hodgkin Lymphoma Cancer Deaths in 2015

Age at Death	Males	Females	Total
0-19	0	0	0
20-39	5	0	5
40-59	20	10	30
60-79	110	55	165
80+	100	70	170
Total	230	145	370

Due to rounding, totals may not equal the sum of individual values

Incidence Rates (per 100,000 population) for Non-Hodgkin Lymphoma Cancer Cases Diagnosed in 2015

Age at Diagnosis	Males	Females	Total
0-19	1.8	0.4	1.1
20-39	4.6	3.8	4.2
40-59	22.0	17.1	19.5
60-79	71.6	55.3	63.3
80+	139.7	82.9	106.5
Total	26.9	21.2	24.1

Mortality Rates (per 100,000 population) for Non-Hodgkin Lymphoma Cancer Deaths in 2015

Age at Death	Males	Females	Total
0-19	0.0	0.0	0.0
20-39	0.6	0.0	0.3
40-59	3.0	1.5	2.2
60-79	23.9	12.7	18.2
80+	111.3	58.8	80.6
Total	9.8	6.0	7.9

Statistics by Cancer Type - Non-Hodgkin Lymphoma

Estimated New Non-Hodgkin Lymphoma Cancer Diagnoses in 2018 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	10	45	145	55	250
Fraser	5	15	95	210	80	400
Coastal	0	10	60	140	60	270
Island	0	10	45	150	60	260
Northern	0	0	15	40	10	70
BC	10	50	250	680	260	1250

Due to rounding and unknown health authority of residence at time of diagnosis for some cases, totals may not equal the sum of individual values

Estimated Non-Hodgkin Lymphoma Cancer Deaths in 2018 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	0	0	35	35	75
Fraser	0	0	10	50	55	120
Coastal	0	0	5	30	35	70
Island	0	0	5	40	40	85
Northern	0	0	0	10	10	15
BC	0	0	25	165	170	360

Due to rounding and unknown health authority of residence at time of death for some cases, totals may not equal the sum of individual values

1-, 3- and 5-year Observed Survival and Age-standardized Relative Survival for BC Adults (age 15-99) Diagnosed with Non-Hodgkin Lymphoma Cancer

	Observed Survival Proportion %			Relative Survival Proportion %		
	1 Year	3 Year	5 Year	1 Year	3 Year	5 Year
Survival Proportion	78.9	68.7	62.7	82.0	74.7	71.6
95% Confidence Interval	77.1 - 80.6	66.7 - 70.7	60.5 - 64.7	80.3 - 83.6	72.6 - 76.8	69.0 - 74.0