



## Statistics by Cancer Type - Testis

### General Summary

In 2017, an estimated 160 BC men will be newly diagnosed with testis cancer and 5 will die of it. One in 214 males is expected to develop testis cancer during their lifetime and one in 4795 males is expected to die of testis cancer.

An estimated 91% of BC men who will be diagnosed with testicular cancer will be between the ages of 20-60 when they are diagnosed.

### Number of New Testis Cancer Cases Diagnosed in 2014

Age at Diagnosis	Total
0-19	5
20-39	95
40-59	45
60-79	10
80+	0
<b>Total</b>	<b>145</b>

Due to rounding, totals may not equal the sum of individual values

### Number of Testis Cancer Deaths in 2014

Age at Death	Total
0-19	0
20-39	5
40-59	0
60-79	0
80+	0
<b>Total</b>	<b>5</b>

Due to rounding, totals may not equal the sum of individual values

### Incidence Rates (per 100,000 population) for Testis Cancer Cases Diagnosed in 2014

Age at Diagnosis	Total
0-19	0.8
20-39	14.8
40-59	6.6
60-79	1.9
80+	0
<b>Total</b>	<b>6.5</b>

### Mortality Rates (per 100,000 population) for Testis Cancer Deaths in 2014

Age at Death	Total
0-19	0
20-39	0.6
40-59	0.2
60-79	0.2
80+	0
<b>Total</b>	<b>0.3</b>



## Statistics by Cancer Type - Testis

### Estimated New Testis Cancer Diagnoses in 2017 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	15	5	0	0	25
Fraser	5	40	15	0	0	60
Coastal	0	30	10	0	0	40
Island	0	20	5	0	0	30
Northern	0	5	0	0	0	10
<b>BC</b>	<b>10</b>	<b>110</b>	<b>35</b>	<b>10</b>	<b>0</b>	<b>160</b>

Due to rounding and unknown health authority of residence at time of diagnosis for some cases, totals may not equal the sum of individual values

### Estimated Testis Cancer Deaths in 2017 by Health Authority

Health Authority	Age at Diagnosis					Total*
	0-19	20-39	40-59	60-79	80+	
Interior	0	0	0	0	0	0
Fraser	0	0	0	0	0	0
Coastal	0	0	0	0	0	0
Island	0	0	0	0	0	0
Northern	0	0	0	0	0	0
<b>BC</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>

Due to rounding and unknown health authority of residence at time of death for some cases, totals may not equal the sum of individual values

### 1-, 3- and 5-year Observed Survival and Age-standardized Relative Survival for BC Adults (age 15-99) Diagnosed with Testis Cancer

	Observed Survival Proportion %			Relative Survival Proportion %		
	1 Year	3 Year	5 Year	1 Year	3 Year	5 Year
Survival Proportion	98.6	97.3	96.9	98.0	98.8	101.4
95% Confidence Interval	97.2 - 99.3	95.6 - 98.4	95.1 - 98.1	88.4 - 99.7	60.8 - 100	100 - 190