

Statistics by Cancer Type - Testis

General Summary

In 2018, an estimated 170 BC men will be newly diagnosed with testis cancer and 5 will die of it.

One in 214 males is expected to develop testis cancer during their lifetime and one in 6618 males is expected to die of testis cancer.

An estimated 88% of BC men who will be diagnosed with testicular cancer will be between the ages of 20-60 when they are diagnosed.

Number of New Testis Cancer Cases Diagnosed in 2015

Age at	
Diagnosis	Total
0-19	10
20-39	70
40-59	55
60-79	10
80+	0
Total	145

Due to rounding, totals may not equal the sum of individual values

Number of Testis Cancer Deaths in 2015

Age at Death	Total
0-19	0
20-39	0
40-59	0
60-79	0
80+	0
Total	0

Due to rounding, totals may not equal the sum of individual values

Incidence Rates (per 100,000 population) for Testis Cancer Cases Diagnosed in 2015

Age at Diagnosis	Total
0-19	1.2
20-39	11.5
40-59	8.2
60-79	2.2
80+	0.0
Total	6.1

Mortality Rates (per 100,000 population) for Testis Cancer Deaths in 2015

Age at Death	Total
0-19	0.0
20-39	0.2
40-59	0.2
60-79	0.0
80+	0.0
Total	0.1



Statistics by Cancer Type - Testis

Estimated New Testis Cancer Diagnoses in 2018 by Health Authority

		Age at Diagnosis				
Health Authority	0-19	20-39	40-59	60-79	80+	Total*
Interior	0	15	5	0	0	25
Fraser	5	40	15	5	0	60
Coastal	0	25	10	0	0	40
Island	0	20	5	0	0	30
Northern	0	5	0	0	0	10
BC	10	110	40	10	0	170

Due to rounding and unknown health authority of residence at time of diagnosis for some cases, totals may not equal the sum of individual values

Estimated Testis Cancer Deaths in 2018 by Health Authority

		Age at Diagnosis				
Health Authority	0-19	20-39	40-59	60-79	80+	Total*
Interior	0	0	0	0	0	0
Fraser	0	0	0	0	0	0
Coastal	0	0	0	0	0	0
Island	0	0	0	0	0	0
Northern	0	0	0	0	0	0
BC	0	0	0	0	0	5

Due to rounding and unknown health authority of residence at time of death for some cases, totals may not equal the sum of individual values

1-, 3- and 5-year Observed Survival and Age-standardized Relative Survival for BC Adults (age 15-99) Diagnosed with Testis Cancer $\,$

	Observed	Survival Pro	portion %	Relative	Survival Prop	ortion %
	1 Year	3 Year	5 Year	1 Year	3 Year	5 Year
Survival Proportion	98.4	97.7	96.5	97.5	99.4	99.9
95% Confidence Interval	96.9 - 99.2	96.0 - 98.6	94.6 - 97.8	90.9 - 99.8	91.4 - 102.2	89.6 - 104.1