

Statistics by Cancer Type - Testis

General Summary

In 2020, an estimated 160 BC men will be newly diagnosed with testis cancer.

One in 217 males is expected to develop testis cancer during their lifetime and one in 4897 males is expected to die of testis cancer.

An estimated 91% of BC men who will be diagnosed with testicular cancer will be between the ages of 20-60 when they are diagnosed.

Number of New Testis Cancer Cases Diagnosed in 2017

Age at	Total
Diagnosis	Total
0-19	5
20-39	85
40-59	35
60-79	10
80+	5
Total	140

Due to rounding, totals may not equal the sum of individual values

Number of Testis Cancer Deaths in 2017

Age at Death	Total
0-19	0
20-39	0
40-59	5
60-79	0
80+	5
Total	10

Due to rounding, totals may not equal the sum of individual values

Incidence Rates (per 100,000 population) for Testis Cancer Cases Diagnosed in 2017

Age at Diagnosis	Total
0-19	1.0
20-39	12.8
40-59	5.6
60-79	1.9
80+	2.2
Total	5.8

Mortality Rates (per 100,000 population) for Testis Cancer Deaths in 2017

Age at Death	Total
0-19	0.0
20-39	0.3
40-59	0.6
60-79	0.2
80+	2.2
Total	0.4



Statistics by Cancer Type - Testis

Estimated New Testis Cancer Diagnoses in 2020 by Health Authority

		Age at Diagnosis				
Health Authority	0-19	20-39	40-59	60-79	80+	Total*
Interior	0	20	10	0	0	25
Fraser	0	40	15	5	0	60
Coastal	0	25	10	5	0	40
Island	5	20	5	5	0	25
Northern	0	5	5	0	0	10
BC	10	105	40	10	0	160

^{*}Due to rounding and unknown health authority of residence at time of diagnosis for some cases, totals may not equal the sum of individual values

1-, 3- and 5-year Observed Survival and Age-standardized Relative Survival for BC Adults (age 15-99) Diagnosed with Testis Cancer $\,$

	Observed Survival Proportion %			Relative S	Survival Prop	ortion %
	1 Year	3 Year	5 Year	1 Year	3 Year	5 Year
Survival Proportion	98.1	96.2	94.6	97.0	94.7	92.5
95% Confidence Interval	96.7 - 99.0	94.3 - 97.5	92.5 - 96.2	92.0 - 99.3	88.3 - 98.4	84.6 - 97.5